

SLIM GRIP SCREWS, BLUED

[Handgun Parts](#) > [Grip Parts](#) > [Grip Screws](#)

Give Your 1911 Auto That High Tech Look

Allen head screws are contoured to fit flush in your 1911 slim grips. Screws are sold separately, in paks of 4.



Attributes

- Name: [SLIM GRIP SCREWS, BLUED](#)
- Manufacturer: [ED BROWN](#)
- Product no.: 087000060
- Mfr. No.: 803-SLIM
- Make: 1911
- Model: Commander, Government, Officers
- Quantity: 4
- Delivery weight: 0.045kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 800732803029

Item details

Made in USA

Table of Contents

- Startpage
- SLIM GRIP SCREWS Safety Instruction Guide
- About Us

SLIM GRIP SCREWS Safety Instruction Guide

Introduction

Thank you for choosing SLIM GRIP SCREWS, designed for optimal fit and performance with your 1911 slim grips. This guide provides essential safety instructions and guidelines to ensure safe usage and installation of the product, in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the screws are used only for their intended purpose, which is to secure slim grips on 1911 models (Government, Commander, Officers).
- Always inspect the screws for any signs of damage or wear before installation.
- Keep the screws and any tools used for installation out of reach of children and vulnerable individuals.
- In case of any accidents or injuries, report them to the appropriate authorities and seek medical attention if necessary.
- Regularly check for product recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use the provided 3/32" Allen wrench for installation to avoid stripping the screw heads.
- Do not exceed the recommended torque specifications to prevent damaging the screws or grips.
- Avoid using the screws in environments with extreme temperatures or humidity, which may affect their performance.
- If you notice any unusual sounds or movement after installation, discontinue use and inspect the screws and grips.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including the 3/32" Allen wrench provided in the pak of 4 screws.
- Ensure that the work area is clean and free from distractions.

2. Installation:

- Align the slim grip with the frame of your 1911.
- Insert the SLIM GRIP SCREWS through the grip into the frame.
- Using the Allen wrench, tighten the screws until snug. Do not overtighten as this may strip the screws.

3. PostInstallation:

- After installation, check the stability of the grips to ensure they are securely attached.
- Perform a function check of your firearm to ensure everything operates correctly.

Disposal Instructions

- Dispose of any unused or damaged screws in accordance with local regulations.
- Recycle packaging materials where possible to minimize environmental impact.

Contact Information for Further Support

For any inquiries regarding safety or product concerns, please consult your retailer or the manufacturer's website for assistance.

Thank you for your attention to these safety guidelines. Your safety is our priority.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at