

1911 FIXED REAR TRITIUM SIGHT - ED BROWN LMC03 TRITIUM REAR SIGHT

[Handgun Parts](#) > [Sights](#) > [Rear Sights](#)

Wedge-shaped rear sight has rounded and beveled edges to reduce the chance of catching on clothing while carrying concealed. Recessed rear notch gives an outstanding sight picture for fast, glare-free sight pickup and instinctive front sight acquisition. Deeply serrated sides provide an aggressive contact area to aid in racking the slide. Available with two Tritium dots (LMC03) with high-visibility white outlines to get on target fast in all lighting conditions. Matching front sight, sold separately, has a single Tritium dot.



Attributes

- Name: [ED BROWN LMC03 TRITIUM REAR SIGHT](#)
- Manufacturer: [ED BROWN](#)
- Product no.: 087000066
- Mfr. No.: 956-LMC-03
- Model: Commander, Government, Officers
- Sight Color: Green
- Style: 2-Dot, Fixed, Low-Profile, Night Sight, Novak
- Weapon type: 1911
- Delivery weight: 0.045kg
- Shipping width: 83mm
- Shipping length: 152mm
- UPC: 800732980201

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 Fixed Rear Tritium Sight ED Brown LMC03 Tritium Rear Sight
- About Us

Safety Instruction Guide for 1911 Fixed Rear Tritium Sight ED Brown LMC03 Tritium Rear Sight

Introduction

Thank you for choosing the 1911 Fixed Rear Tritium Sight ED Brown LMC03. This guide provides essential safety information and instructions to ensure the safe and effective use of your rear sight. Please read this guide carefully before installation and usage.

General Safety Guidelines

- Ensure that this product is used in accordance with the manufacturer's instructions.
- Always handle firearms safely and responsibly.
- Regularly inspect the sight for signs of wear or damage.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not attempt to modify or disassemble the rear sight.
- Ensure that the firearm is unloaded before installation or adjustment of the sight.
- Avoid using the sight in extreme weather conditions that may impair visibility.
- Be aware of your surroundings and ensure a safe shooting environment when using the firearm.
- Use appropriate eye protection while shooting.

Instructions for Installation and Usage

1. Installation

- Ensure that the firearm is completely unloaded.
- Remove the old rear sight if applicable, following the manufacturer's instructions.
- Align the new rear sight with the dovetail cut on the slide of your firearm.
- Gently tap the sight into place using a nonmarring punch and hammer.
- Ensure it is securely fitted and aligned properly for optimal sight picture.

2. Usage

- Familiarize yourself with the sight picture before engaging in shooting activities.
- Practice aiming with the sight in various lighting conditions to understand its performance.
- Always maintain a firm grip on the firearm while aiming and shooting.
- Regularly check the alignment of the sight and make adjustments as necessary.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- If the sight is damaged or no longer functional, consider returning it to the manufacturer for proper disposal.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and usage of your 1911 Fixed Rear Tritium Sight ED Brown LMC03, please contact the manufacturer directly through their official communication channels.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk