

S&W M&P RECOIL SPRINGS - ED BROWN M&P RECOIL SPRING, FLATE WIRE, 13 LB.

[Handgun Parts](#) > [Recoil Parts](#) > [Recoil Springs](#)

Replacement flat wire spring for the M&P 9mm and M&P 2.0 9mm. The standard M&P is equipped with the 15# recoil spring. The 11# spring is ideal for use with suppressors or subsonic ammunition. Use the 13# spring for light target loads. The longest lasting handgun recoil spring made, up to ten times greater service life than a conventional coil spring. Recommended spring replacement at 30,000-40,000 rounds.



Attributes

- Name: [ED BROWN M&P RECOIL SPRING, FLATE WIRE, 13 LB.](#)
- Manufacturer: [ED BROWN](#)
- Product no.: 087001906
- Mfr. No.: MP-FW-13
- Model: M&P
- Pounds: 13 lbs
- Weapon type: Smith & Wesson
- Delivery weight: 0.011kg
- Shipping height: 13mm
- Shipping width: 102mm
- Shipping length: 229mm
- UPC: 800732300122

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [S&W M&P Recoil Springs Safety Instruction Guide](#)
- [About Us](#)

S&W M&P Recoil Springs Safety Instruction Guide

Introduction

Thank you for choosing the S&W M&P Recoil Springs manufactured by ED BROWN. This guide provides essential safety instructions and information to ensure the safe and effective use of your recoil spring. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure compliance with all local laws and regulations regarding the use of firearms and accessories.
- Always treat firearms with respect and assume they are loaded until verified otherwise.
- Store the recoil spring and all firearm accessories in a secure and safe location, out of reach of children and unauthorized users.
- Regularly inspect the recoil spring for any signs of wear or damage. Replace the spring if any issues are detected.
- Follow all manufacturer's instructions for your specific firearm model to ensure compatibility and safety.

Specific Safety Precautions for Use

- Use only the recommended recoil spring weight for your specific application:
 - Standard M&P: 15# recoil spring
 - Suppressor or subsonic ammunition: 11# recoil spring
 - Light target loads: 13# recoil spring
- Never exceed the recommended round count of 30,000/40,000 rounds for spring replacement to maintain optimal performance.
- Be aware of potential hazards associated with improper installation or use, including:
 - Malfunctioning of the firearm
 - Increased risk of accidents or injuries
- Ensure that the recoil spring is correctly installed before using the firearm. Improper installation can lead to serious safety risks.

Instructions for Installation and Usage

1. Preparation

- Ensure that your firearm is unloaded and pointed in a safe direction.
- Gather all necessary tools for installation.

2. Installation Steps

- Remove the existing recoil spring from your firearm according to the manufacturer's guidelines.
- Inspect the new recoil spring for any visible defects or damage before installation.
- Carefully install the new recoil spring into the firearm, ensuring it is seated properly.
- Reassemble the firearm according to the manufacturer's instructions.

3. Usage

- Always perform a function check of the firearm after installation to ensure proper operation.
- Use the firearm only in accordance with the manufacturer's instructions and guidelines.

Disposal Instructions

- Dispose of old recoil springs and any damaged components in accordance with local regulations.
- Do not dispose of springs or firearm parts in regular household waste.
- Consider recycling options for metal components where available.

Contact Information for Further Support

For any safety inquiries or concerns regarding the S&W M&P Recoil Springs, please refer to the contact information provided by the manufacturer or authorized dealer.

Thank you for your attention to these safety instructions. Your safety and the safety of others is paramount. Enjoy your shooting experience responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk