

1911 ALLEN HEAD GRIP SCREWS - ALLEN HEAD GRIP SCREWS BLUED QUANTITY 4

[Handgun Parts](#) > [Grip Parts](#) > [Grip Screws](#)

Give Your 1911 Auto That High Tech Look

Beautifully machined with the correctly proportioned head and hole size, contoured to fit flush in any 1911 grip and look great. No more buggered screw heads.



Attributes

- Name: [ALLEN HEAD GRIP SCREWS BLUED QUANTITY 4](#)
- Manufacturer: [ED BROWN](#)
- Product no.: 087011004
- Mfr. No.: 803
- Make: 1911
- Model: Commander, Officers, Government
- Quantity: 4
- Delivery weight: 0.009kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 800732803005

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 Allen Head Grip Screws
- About Us

Safety Instruction Guide for 1911 Allen Head Grip Screws

Introduction

Thank you for choosing the 1911 Allen Head Grip Screws. This guide provides essential safety instructions and information to ensure the safe and effective use of this product. Please read this guide carefully before installation or use.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Always inspect the screws for any signs of damage before installation.
- Keep the product out of reach of children and vulnerable individuals.
- If you experience any issues with the screws, discontinue use immediately and seek assistance.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Only use the screws with compatible 1911 models: Government, Commander, and Officers.
- Use the provided 3/32" Allen wrench to ensure proper installation and to avoid damaging the screw heads.
- Do not exceed the recommended torque specifications to prevent stripping or breaking.
- Ensure that the screws are installed in a clean and dry environment to avoid contamination.
- Avoid using excessive force when tightening the screws.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including the 3/32" Allen wrench.
- Ensure that the grip and the area where the screws will be installed are clean.

2. Installation Steps

- Align the grip with the frame of the 1911.
- Insert the Allen Head Grip Screws into the predrilled holes.
- Using the 3/32" Allen wrench, tighten the screws gently until they are snug. Do not overtighten.
- Check to ensure the grip is securely in place without any gaps.

3. PostInstallation Check

- After installation, check the screws periodically to ensure they remain tight and secure.
- If you notice any loosening, retighten the screws as necessary.

Disposal Instructions

- Dispose of any unused or damaged screws in accordance with local regulations.
- Do not dispose of screws in regular household waste if they are considered hazardous.
- Consider recycling options where available.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please contact the manufacturer or the relevant local authorities. Ensure that you have the product details available for reference.

By following these guidelines, you can ensure the safe use of your 1911 Allen Head Grip Screws. Thank you for your attention to safety and compliance.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at