

1911 ALLEN HEAD GRIP SCREWS - ALLEN HEAD GRIP SCREWS S/S QUANITY 4

[Handgun Parts](#) > [Grip Parts](#) > [Grip Screws](#)

Give Your 1911 Auto That High Tech Look

Beautifully machined with the correctly proportioned head and hole size, contoured to fit flush in any 1911 grip and look great. No more buggered screw heads.



Attributes

- Name: [ALLEN HEAD GRIP SCREWS S/S QUANITY 4](#)
- Manufacturer: [ED BROWN](#)
- Product no.: 087011104
- Mfr. No.: 804
- Make: 1911
- Model: Officers, Government, Commander
- Quantity: 4
- Delivery weight: 0.009kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 800732804002

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 Allen Head Grip Screws
- About Us

Safety Instruction Guide for 1911 Allen Head Grip Screws

Introduction

Thank you for purchasing the 1911 Allen Head Grip Screws. This guide provides essential safety instructions, usage guidelines, and disposal instructions to ensure safe handling and installation of the product. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always inspect the screws for any damage or defects before installation.
- Keep the product out of reach of children and vulnerable individuals.
- Do not use the screws if they appear damaged or worn.
- Follow all local laws and regulations regarding firearm accessories.

Specific Safety Precautions for Use

- Wear safety glasses when installing or removing screws to protect your eyes from debris.
- Use the provided 3/32" Allen wrench for installation to prevent stripping the screw heads.
- Avoid overtightening the screws, as this may damage the grip or the screws themselves.
- Do not modify the screws in any way, as this may compromise their integrity and safety.
- Ensure that the screws are properly seated and flush with the grip to avoid snagging or injury.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including the 3/32" Allen wrench provided with the screws.
- Ensure that the area where you will be working is clean and free of distractions.

2. Installation Steps:

- Remove the existing grip screws from your 1911 firearm, if applicable.
- Align the new Allen Head Grip Screws with the holes in the grip.
- Insert the screws into the holes and handtighten them to ensure proper alignment.
- Using the 3/32" Allen wrench, tighten the screws gradually and evenly until they are secure, but do not overtighten.

3. PostInstallation Check:

- After installation, check to ensure that the screws are flush with the grip and that there are no gaps.
- Test the grip for stability and ensure that it feels secure before using the firearm.

Disposal Instructions

- Dispose of any damaged or worn screws responsibly, following local waste disposal regulations.
- Do not throw the screws in regular household waste if they are considered hazardous in your area.
- Consider recycling the screws if possible, as they are made of heat-treated steel.

Contact Information for Further Support

For any safety inquiries or concerns regarding the 1911 Allen Head Grip Screws, please contact the manufacturer or retailer from whom you purchased the product. They can provide additional information and support regarding safety and usage.

Conclusion

By following the guidelines outlined in this safety instruction guide, you can ensure the safe and effective use of your 1911 Allen Head Grip Screws. Always prioritize safety and compliance with local laws when handling firearm accessories. Thank you for your attention to these important safety instructions.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at