

1911 FIRING PIN - ED BROWN #824 FIRING PIN

[Handgun Parts](#) > [Action Parts](#) > [Firing Pin Parts](#) > [Firing Pins](#)

Sized To Correctly Fit & Eliminate Primer Flow

High-quality firing pins that are specifically sized to reduce the chances of primer flow. Proper weight for positive ignition with heavy-duty springs. Correct tip diameters in 9mm/.38 Super provide a close, firing pin hole fit for slides built to Colt or Springfield Armory dimensions.



Attributes

- Name: [ED BROWN #824 FIRING PIN](#)
- Manufacturer: [ED BROWN](#)
- Product no.: 087205824
- Mfr. No.: 824
- Caliber: 45 Caliber (.451-.454)
- Model: Commander, Government, Officers
- Weapon type: 1911
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 800732824000

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 Firing Pin ED Brown #824
- About Us

Safety Instruction Guide for 1911 Firing Pin ED Brown #824

Introduction

Thank you for choosing the 1911 Firing Pin ED Brown #824. This highquality firing pin is designed for reliability and safety in your firearm. This guide provides important safety instructions, general guidelines, and specific precautions to ensure safe usage.

General Safety Guidelines

- Always handle firearms with care and follow the manufacturer's instructions.
- Ensure that the firing pin is compatible with your specific firearm model.
- Store the firing pin in a secure location, out of reach of children and unauthorized users.
- Regularly inspect the firing pin for signs of wear or damage before use.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about recall updates via the EU Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing or replacing the firing pin.
- Use only the correct tools and equipment when handling the firing pin.
- Avoid using excessive force during installation to prevent damage to the firearm or the firing pin.
- Do not modify the firing pin or use it for purposes other than intended.
- Be aware of the potential hazards associated with firearms, including accidental discharge and injury.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the firearm is in a safe and secure environment.
- Gather necessary tools for installation, including a screwdriver and any specific tools recommended by the firearm manufacturer.

2. Installation:

- Verify that the firearm is unloaded.
- Remove the slide and disassemble the firearm according to the manufacturer's instructions.
- Locate the firing pin assembly and carefully remove the old firing pin if applicable.
- Insert the new ED Brown #824 firing pin into the firing pin hole, ensuring it fits snugly.
- Reassemble the firearm according to the manufacturer's instructions.

3. Usage:

- After installation, conduct a function check to ensure proper operation.
- Always follow safe handling practices when using the firearm.
- Do not fire the weapon until you have confirmed that all components are functioning correctly.

Disposal Instructions

- Dispose of any damaged or worn firing pins in accordance with local regulations.
- Do not throw firing pins in regular household waste.
- Contact your local waste management authority for guidance on safe disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the 1911 Firing Pin ED Brown #824, please refer to the manufacturer's contact information provided with your purchase. It is essential to reach out to a qualified professional for assistance with any safety or technical inquiries.

By following these guidelines, you can ensure safe and effective use of your 1911 Firing Pin ED Brown #824. Thank you for prioritizing safety in your firearm practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk