

MAX-50 SCOPE RINGS - BADGER ORDNANCE 30MM ULTRA HIGH STEEL MAX-50 RINGS

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

The MAX-50 rings are 1 inch wide, giving them 60% more holding power than any other ring available from Badger Ordnance. Utilizing 6 #8-40 Torx screws to distribute the load providing the maximum amount of holding power while minimizing the chance of damaging the scope. Machined from Steel or Aluminum as serialized matched pairs. MIL STD 1913 compatible, designed for the demanding .50 BMG round.



Attributes

- Name: [BADGER ORDNANCE 30MM ULTRA HIGH STEEL MAX-50 RINGS](#)
- Manufacturer: [BADGER ORDNANCE](#)
- Product no.: 093000013
- Mfr. No.: 306-50
- Finish: Matte
- Height: 1.378"
- Material: Steel
- Scope Tube Diameter: 30mm
- Size: Ultra High
- Style: Tactical (Picatinny) Rings
- Delivery weight: 0.522kg
- Shipping height: 48mm
- Shipping width: 53mm
- Shipping length: 79mm

Item details

Made in USA

Table of Contents

- Startpage
- MAX50 SCOPE RINGS Safety Instruction Guide
- About Us

MAX50 SCOPE RINGS Safety Instruction Guide

Introduction

Thank you for purchasing the MAX50 Scope Rings by Badger Ordnance. These rings are designed to securely hold your scope, ensuring optimal performance and safety during use. This guide provides essential safety instructions and best practices to help you use the product safely and effectively in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose, which is to mount scopes securely on firearms.
- Always follow the manufacturer's instructions for installation and usage.
- Regularly inspect the scope rings for any signs of wear or damage before each use.
- Do not exceed the recommended weight limits for the scope and accessories mounted on the rings.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents related to the product to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate eye protection when handling firearms.
- Ensure that the firearm is unloaded before installing or adjusting the scope rings.
- Use caution when tightening the screws to avoid overtightening, which may damage the scope or rings.
- Check that the scope is properly aligned and securely mounted before each use.
- Avoid using the scope rings in extreme temperatures or harsh environments that may affect their performance.

Instructions for Installation and Usage

1. Installation

- Gather all necessary tools, including a Torx screwdriver compatible with #840 screws.
- Ensure that the firearm is unloaded and pointed in a safe direction.
- Position the MAX50 rings on the Picatinny rail of the firearm.
- Align the rings with the desired mounting position.
- Secure the rings by tightening the six #840 Torx screws evenly. Do not overtighten.
- Check the alignment of the scope within the rings.

2. Usage

- After installation, verify that the scope is securely held in place.
- Before firing, conduct a function check to ensure the scope is properly zeroed.
- Regularly inspect the scope rings and screws for tightness and condition during use.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding metal and electronic waste.
- Do not dispose of the product in household waste.
- If the product is damaged or no longer usable, take it to a designated recycling facility.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product performance, please refer to the manufacturer's website or contact their customer service for assistance.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities. Enjoy your experience with the MAX50 Scope Rings!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk