

MICRO-SIGHT MOUNT - BADGER ORDNANCE 30MM 6 SCREW MICRO SIGHT MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

For Offset, Scope-Ring Mounting Of Auxiliary Sights, Lights & Other Accessories

Lightweight, low-profile, railed cap replaces the existing top half of a Badger Ordnance scope ring to add an offset, three-slot Picatinny rail. Provide easy, off-axis mounting of a red dot sight, laser, light, or other tactical accessory. Allows instant transition from primary optic to a non-magnified CQB sight without breaking cheekweld. Machined from 6061 T6 aluminum billet for strength with minimal weight and hardcoat anodized for added strength. Models available to fit 30mm and 34mm Badger scope rings with 6-screw caps.



Attributes

- Name: [BADGER ORDNANCE 30MM 6 SCREW MICRO SIGHT MOUNT](#)
- Manufacturer: [BADGER ORDNANCE](#)
- Product no.: 093000032
- Mfr. No.: 306-42
- Color: Matte Black
- Finish: Matte Black
- Material: Aluminum
- Number of Bases: 1-Piece
- Scope Tube Diameter: 30mm
- Size: Low
- Style: Tactical Bases
- Delivery weight: 0.036kg

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [MICROSIGHT MOUNT BADGER ORDNANCE 30MM 6 SCREW MICRO SIGHT MOUNT Safety Instruction Guide](#)
- [About Us](#)

MICROSIGHT MOUNT BADGER ORDNANCE 30MM 6 SCREW MICRO SIGHT MOUNT Safety Instruction Guide

Introduction

Thank you for choosing the MICROSIGHT MOUNT BADGER ORDNANCE 30MM 6 SCREW MICRO SIGHT MOUNT. This guide provides essential safety instructions to ensure the safe use and installation of your product. Please read this guide carefully before use.

General Safety Guidelines

- Always ensure that the mount is compatible with your scope and accessories.
- Inspect the mount before each use for any signs of wear or damage.
- Ensure that all screws are tightened to the manufacturer's specifications.
- Do not exceed the weight limit specified for the mount to avoid failure.
- Keep the mount and all accessories out of reach of children.
- Use the product only for its intended purpose; misuse may lead to accidents or injury.
- In case of any malfunction or damage, discontinue use and consult a qualified technician.

Specific Safety Precautions for Use

- When mounting a red dot sight or other tactical accessory, ensure it is securely attached before use.
- Avoid using the mount in extreme weather conditions unless it is rated for such use.
- Be aware of your surroundings when using firearms with mounted accessories.
- Always wear appropriate safety gear, including eye protection, when using firearms.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded before starting the installation.
- Remove the existing top half of the Badger Ordnance scope ring.
- Align the MICROSIGHT MOUNT with the scope ring base and the mounting surface.
- Secure the mount using the provided screws, ensuring they are tightened evenly.
- Doublecheck that the mount is securely fastened before attaching any accessories.

2. Usage:

- To attach a red dot sight or other accessory, slide it onto the Picatinny rail until it locks into place.
- Adjust the accessory as needed for optimal positioning.
- Ensure that the accessory is secure before use.
- Transition between optics by maintaining a consistent cheek weld for accuracy.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the mount in household waste.
- If the product is damaged or no longer in use, consider recycling materials where possible.

Contact Information for Further Support

For any safety inquiries or concerns regarding the MICROSIGHT MOUNT BADGER ORDNANCE 30MM 6 SCREW MICRO SIGHT MOUNT, please contact the manufacturer's customer service or refer to the product packaging for further assistance.

Thank you for your attention to these safety guidelines. Your safety is our priority.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu