

MINI FTE MUZZLE BRAKE 30 CALIBER - BADGER ORDNANCE MINI FTE MUZZLE BRAKE 30 CALIBER 5/8-24 STEEL BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

The Mini FTE is a clamp on style muzzle brake so there is no modification to your threaded barrel required. Available for either 30 calibers, muzzle brake have 5/8-24 threads and .875" muzzle diameter. Fit by a competent gunsmith recommend.



Attributes

- Name: [BADGER ORDNANCE MINI FTE MUZZLE BRAKE 30 CALIBER 5/8-24 STEEL BLACK](#)
- Manufacturer: [BADGER ORDNANCE](#)
- Product no.: 093000063
- Mfr. No.: 249-83
- Caliber: 30 Caliber (.308)
- Finish: Black
- Material: Steel
- Size: .875
- Threads: 5/8-24
- Weapon type: AR .308
- Delivery weight: 0.091kg
- Shipping height: 41mm
- Shipping width: 71mm
- Shipping length: 41mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MINI FTE MUZZLE BRAKE 30 CALIBER
- About Us

Safety Instruction Guide for MINI FTE MUZZLE BRAKE 30 CALIBER

Introduction

Thank you for choosing the MINI FTE MUZZLE BRAKE 30 CALIBER by Badger Ordnance. This guide provides essential safety instructions to ensure the safe use and installation of this product. Please read and follow all instructions carefully to avoid potential hazards.

General Safety Guidelines

- Always use the muzzle brake in accordance with the firearm manufacturer's guidelines.
- Ensure that the muzzle brake is compatible with your firearm's specifications.
- Store the muzzle brake in a secure location, away from children and unauthorized users.
- Regularly inspect the muzzle brake for signs of wear or damage before use.
- Follow all local laws and regulations regarding the use of muzzle brakes.

Specific Safety Precautions for Use

• Potential Hazards:

- Improper installation may result in injury or damage to the firearm.
- Failure to adhere to recommended usage may lead to malfunctions.

• Avoiding Hazards:

- Always have the installation performed by a competent gunsmith.
- Do not modify the muzzle brake or firearm.
- Use only the recommended caliber (30 Caliber / .308) and thread size (5/824).
- Ensure that the muzzle brake is securely clamped onto the barrel before use.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is unloaded and safe to handle.
- Gather necessary tools, including the muzzle brake and any required installation tools.

2. Installation Steps:

- Position the muzzle brake over the threaded portion of the barrel.
- Align the 5/824 threads of the muzzle brake with the threads on the barrel.
- Clamp the muzzle brake securely onto the barrel, ensuring it is straight and properly aligned.
- Tighten the clamp according to the manufacturer's specifications. Do not overtighten, as this may damage the brake or barrel.

3. Usage Instructions:

- Always wear appropriate safety gear, including eye and ear protection, when firing.
- Check the muzzle brake after each use for any signs of damage or loosening.
- If any issues are detected, cease use immediately and consult a qualified gunsmith.

Disposal Instructions

- Dispose of the muzzle brake in accordance with local regulations.
- Do not dispose of the muzzle brake in regular household waste.
- Consider recycling options if available, as metal components can often be recycled.

Contact Information for Further Support

For any inquiries, concerns, or reports regarding the MINI FTE MUZZLE BRAKE, please refer to the contact information provided by the retailer or manufacturer.

Please adhere to these safety instructions to ensure a safe and enjoyable experience with your MINI FTE MUZZLE BRAKE 30 CALIBER. Your safety is paramount, and we appreciate your commitment to responsible firearm use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk