

30MM USMC M40A3 SCOPE RINGS - BADGER ORDNANCE 30MM USMC M40A3 SCOPE RING .886" W/1" INSERTS

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

All-Steel Rings Matched for Precise Alignment

Badger Ordnance's USMC M40A3 30mm Scope Rings were originally designed for the M40A3 Scout Sniper Rifle and the Unertl 10x scope. These solid, secure ALL-STEEL rings will work on any rifle with a MIL-STD 1913 Picatinny receiver rail. Badger machines each USMC M40A3 30mm scope ring from steel barstock and serializes them as matched pairs, eliminating the damaging effects of mismatched rings. Sold in matched pairs Includes ring inserts so they can be used with 1" scope tubes Hard black oxide finish Torx-head ring cap screws NSN #5365-09-511-9954 Badger Ordnance USMC M40A3 30mm Scope Rings provide the solidity and strength required to stand up to hard field and tactical use.



Attributes

- Name: [BADGER ORDNANCE 30MM USMC M40A3 SCOPE RING .886" W/1" INSERTS](#)
- Manufacturer: [BADGER ORDNANCE](#)
- Product no.: 093000137
- Mfr. No.: 306-24
- Finish: Black
- Height: .886"
- Scope Tube Diameter: 30mm
- Delivery weight: 0.388kg
- Shipping height: 51mm
- Shipping width: 51mm
- Shipping length: 83mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 30MM USMC M40A3 Scope Rings](#)
- [About Us](#)

Safety Instruction Guide for 30MM USMC M40A3 Scope Rings

Introduction

Thank you for choosing the Badger Ordnance 30MM USMC M40A3 Scope Rings. This guide provides essential safety instructions to ensure the proper use and handling of your scope rings. Please read this document carefully to understand how to safely install and use the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always inspect the scope rings for any signs of damage before installation.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all local laws and regulations regarding firearm accessories.
- Report any unsafe product conditions or incidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Potential Hazards:** Improper installation may lead to scope misalignment, which can affect accuracy and safety.
- **Avoiding Hazards:**
 - Do not exceed the recommended torque specifications when securing the scope rings.
 - Ensure that the scope is properly mounted and secured before use.
 - Regularly check the tightness of the screws to prevent loosening during use.
- **Audience Specific Warnings:**
 - This product is not intended for use by individuals under the age of 18 without adult supervision.

Instructions for Installation and Usage

1. Installation:

- Gather necessary tools: a torque wrench and Torx screwdriver.
- Ensure the rifle is unloaded and pointed in a safe direction.
- Place the scope rings on the MILSTD 1913 Picatinny receiver rail.
- Align the scope rings with the desired position for your scope.
- Insert the provided screws into the ring caps and tighten them using the Torx screwdriver.
- Use a torque wrench to tighten the screws to the manufacturer's recommended torque specification.
- Doublecheck that the scope is securely attached and properly aligned.

2. Usage:

- Always ensure the rifle is pointed in a safe direction when handling.
- Regularly inspect the scope rings for wear or damage.
- If you notice any issues, cease use immediately and replace the rings.

Disposal Instructions

- Dispose of the product in accordance with local regulations for metal recycling.
- Do not dispose of the product in household waste.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the 30MM USMC M40A3 Scope Rings, please consult your retailer or manufacturer.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk