

M1/M1A RECEIVER/BARREL TIMING GAUGES - BADGER ORDNANCE TIMING GAUGES

[Gunsmith Tools & Supplies](#) > [Rifle Tools](#) > [Receiver Tools](#)

Machined aluminum gauges give a precise, repeatable indexing reference so front and rear sights can be aligned perfectly, every time. Front gauge attaches to the gas cylinder (M1) or flash suppressor (M1A); rear gauge fits in the stripped rear sight housing.



Attributes

- Name: [BADGER ORDNANCE TIMING GAUGES](#)
- Manufacturer: [BADGER ORDNANCE](#)
- Product no.: 093200010
- Mfr. No.: 200-01
- Make: Springfield
- Model: M1,M14,M1A
- Delivery weight: 0.68kg

Item details

Made in USA

Table of Contents

- Startpage
- M1/M1A Receiver/Barrel Timing Gauges Safety Instructions
- About Us

M1/M1A Receiver/Barrel Timing Gauges Safety Instructions

Introduction

Thank you for choosing the M1/M1A Receiver/Barrel Timing Gauges by Badger Ordnance. These precision machined aluminum gauges are designed to help you align your front and rear sights accurately. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Always follow the manufacturer's instructions for use and maintenance.
- Ensure that the product is used only for its intended purpose.
- Keep the gauges out of reach of children and vulnerable individuals.
- Inspect the gauges for any signs of damage before each use. Do not use if damaged.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use the front gauge only with the gas cylinder (M1) or flash suppressor (M1A).
- Ensure that the rear gauge is properly fitted into the stripped rear sight housing before use.
- Do not apply excessive force when using the gauges to avoid damage.
- Always wear appropriate safety gear, such as safety glasses, when working with firearms.
- Ensure that the firearm is unloaded and pointed in a safe direction before using the gauges.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your firearm is unloaded and pointed in a safe direction.
- Gather all necessary tools and the M1/M1A Receiver/Barrel Timing Gauges.

2. Using the Front Gauge:

- Attach the front gauge to the gas cylinder (M1) or flash suppressor (M1A) securely.
- Ensure that the gauge is seated properly to provide an accurate reference.

3. Using the Rear Gauge:

- Insert the rear gauge into the stripped rear sight housing.
- Ensure a snug fit to maintain alignment during use.

4. Alignment:

- Use the gauges to align the front and rear sights accurately.
- Confirm that the alignment is correct before proceeding with any further adjustments.

5. PostUse:

- Remove the gauges from the firearm after use.
- Store the gauges in a safe and dry location to prevent damage.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the gauges in regular household waste.
- Contact local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the M1/M1A Receiver/Barrel Timing Gauges, please refer to the manufacturer's contact information provided with the product packaging.

Thank you for your attention to these safety instructions. Your safety is our priority.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu