

M14/M1A STOCK LINER NUT DRIVER - STOCK LINER NUT DRIVER

[Gunsmith Tools & Supplies](#) > [Rifle Tools](#) > [Stock Tools](#)

Provides non-slip engagement for removing stubborn stock liner nuts on wooden M14 and M1A rifle stocks. Fits into any of the Brownell Magna-Tip® handles.



Attributes

- Name: [STOCK LINER NUT DRIVER](#)
- Manufacturer: [BADGER ORDNANCE](#)
- Product no.: 093223040
- Mfr. No.: 223-04
- Make: Springfield
- Model: M1,M14,M1A
- Delivery weight: 0.023kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- M14/M1A Stock Liner Nut Driver Safety Instructions
- About Us

M14/M1A Stock Liner Nut Driver Safety Instructions

Introduction

Thank you for choosing the M14/M1A Stock Liner Nut Driver. This tool is designed to provide nonslip engagement for removing stubborn stock liner nuts on wooden M14 and M1A rifle stocks. Please read this safety instruction guide carefully to ensure safe use and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always use the tool for its intended purpose.
- Keep the tool out of reach of children and vulnerable individuals.
- Inspect the tool before use to ensure it is in good condition.
- Do not use the tool if it is damaged or worn.
- Store the tool in a safe, dry place when not in use.
- Be aware of your surroundings when using the tool to avoid accidents.

Specific Safety Precautions for Use

- Ensure that the rifle is unloaded and pointed in a safe direction before using the tool.
- Wear appropriate personal protective equipment, such as safety glasses, to protect against potential debris.
- Use the tool only with compatible Brownell MagnaTip® handles.
- Do not apply excessive force when using the tool, as this may cause damage or injury.
- Keep hands and fingers clear of the working area when using the tool.

Instructions for Installation and Usage

1. Preparation:

- Ensure the rifle is unloaded.
- Gather necessary tools and equipment, including the M14/M1A Stock Liner Nut Driver and a compatible Brownell MagnaTip® handle.

2. Using the Tool:

- Insert the M14/M1A Stock Liner Nut Driver into the Brownell MagnaTip® handle.
- Align the driver with the stock liner nut.
- Turn the handle counterclockwise to loosen the nut. If the nut is stubborn, apply steady, even pressure.
- Once loosened, remove the nut and store it safely.

3. PostUse:

- Clean the tool after use to remove any debris or residue.
- Store the tool in a designated location to prevent damage and ensure safety.

Disposal Instructions

- Dispose of the tool responsibly at a local waste management facility.
- Do not dispose of the tool in household waste.

- Check local regulations for specific disposal guidelines.

Contact Information for Further Support

For any safety inquiries or concerns regarding the M14/M1A Stock Liner Nut Driver, please refer to the contact information provided on the product packaging or visit the manufacturer's website.

Thank you for following these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at