

MAXIMIZED SCOPE RING REDUCERS - MAXIMIZED SCOPE RING 30MM TO 1" RING REDUCERS, 4 SCREWS

[Optics & Mounting](#) > [Optic Accessories](#) > [Scope Ring Reducers](#)

Ring reducers convert Badger Ordnance Maximized Scope Rings from 30mm to 1".



Attributes

- Name: [MAXIMIZED SCOPE RING 30MM TO 1" RING REDUCERS, 4 SCREWS](#)
- Manufacturer: [BADGER ORDNANCE](#)
- Product no.: 093306120
- Mfr. No.: 306-12
- Finish: Matte Black
- Size: 30mm to 1"
- Delivery weight: 0.023kg
- Shipping height: 38mm
- Shipping width: 41mm
- Shipping length: 79mm

Item details

Made in USA

Table of Contents

- Startpage
- MAXIMIZED SCOPE RING REDUCERS Safety Instruction Guide
- About Us

MAXIMIZED SCOPE RING REDUCERS Safety Instruction Guide

Introduction

Thank you for choosing the MAXIMIZED SCOPE RING REDUCERS. This guide provides essential safety instructions to ensure the safe use and installation of the product. Please read this manual thoroughly before use to maximize safety and performance.

General Safety Guidelines

To ensure the safe use of the MAXIMIZED SCOPE RING REDUCERS, please adhere to the following guidelines:

- Always follow the manufacturer's instructions for installation and use.
- Inspect the product for any damage or defects before use.
- Store the product in a dry, cool place away from direct sunlight.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

When using the MAXIMIZED SCOPE RING REDUCERS, please observe the following precautions:

- Ensure that the scope rings are securely attached to your firearm before use.
- Avoid using the product if it shows signs of wear or damage.
- Use only compatible equipment with the ring reducers to prevent accidents.
- Do not exceed the manufacturer's recommended weight limits for mounted scopes.
- Always wear appropriate eye protection when handling and installing the product.

Instructions for Installation and Usage

Follow these steps for the proper installation and use of the MAXIMIZED SCOPE RING REDUCERS:

1. Preparation:

- Gather all necessary tools, including a screwdriver and the provided screws.
- Ensure that the work area is clean and welllit.

2. Installation:

- Step 1: Remove the existing scope rings from your firearm.
- Step 2: Align the ring reducers with the mounting base.
- Step 3: Secure the ring reducers using the provided screws. Ensure they are tightened properly but do not overtighten, as this may damage the product.
- Step 4: Attach your scope to the ring reducers, ensuring it is level and securely fastened.

3. Usage:

- After installation, check the stability of the scope and ring reducers before use.
- Regularly inspect the installation to ensure all components remain secure during use.

Disposal Instructions

When disposing of the MAXIMIZED SCOPE RING REDUCERS, please follow these guidelines:

- Do not dispose of the product in regular household waste.
- Check local regulations for proper disposal methods for metal products.
- If applicable, recycle the product according to your local recycling guidelines.

Contact Information for Further Support

For any inquiries regarding the MAXIMIZED SCOPE RING REDUCERS, please refer to the manufacturer's contact information provided on the product packaging or visit the official website.

By following these safety instructions, you can ensure a safe and effective experience with your MAXIMIZED SCOPE RING REDUCERS. Thank you for your attention to safety!

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at