

GUNSLINGER HANDGUN SPRING KITS - COLT SAA SPRING KIT

[Handgun Parts](#) > [Trigger Group Parts](#) > [Performance Enhancing Kits](#)

Lighten Trigger Pull & Smooth Action Cycling

High-quality springs provide smoother action function and operation, plus reduce felt trigger pull. Coil springs are slightly reduced in diameter to eliminate guide rod spring bind. Colt hammer spring is narrowed along the sides, maintains strength and reduces cocking effort, trigger spring is durable wire-type.



Attributes

- Name: [COLT SAA SPRING KIT](#)
- Manufacturer: [LEES GUNSMITHING](#)
- Product no.: 100000509
- Mfr. No.: NONE
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [GUNSLINGER HANDGUN SPRING KITS COLT SAA SPRING KIT Safety Instruction Guide](#)
- [About Us](#)

GUNSLINGER HANDGUN SPRING KITS COLT SAA SPRING KIT Safety Instruction Guide

Introduction

Thank you for choosing the GUNSLINGER HANDGUN SPRING KITS COLT SAA SPRING KIT. This guide provides essential safety instructions to ensure the safe use and installation of the product. Please read this document carefully and follow all instructions to minimize risks and enhance your experience with the product.

General Safety Guidelines

- Ensure that all components are compatible with your firearm before installation.
- Always handle firearms with care and treat them as if they are loaded.
- Keep the product out of reach of children and unauthorized users.
- Inspect the springs regularly for wear and damage.
- Do not modify the springs or any other components of the kit.
- Follow all local laws and regulations regarding firearm modifications.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Only use the GUNSLINGER HANDGUN SPRING KITS with Colt SAA and compatible clones, including Ruger Blackhawk/Vaquero.
- Ensure that the firearm is unloaded before beginning installation.
- Wear appropriate safety gear, such as safety glasses, during installation.
- Avoid using excessive force during installation to prevent damage to components.
- Store the spring kit in a cool, dry place to prevent corrosion.

Instructions for Installation and Usage

1. Preparation

- Ensure you have the necessary tools for installation, such as screwdrivers and pliers.
- Read through the entire installation instructions before beginning.

2. Disassembly of Firearm

- Unload the firearm completely.
- Follow the manufacturer's instructions for disassembling your specific firearm model.

3. Installation of Springs

- Remove the old hammer and trigger springs carefully.
- Install the new Colt hammer spring by aligning it properly in the designated slot.
- Install the trigger spring, ensuring it is seated securely.
- Check that all springs are properly positioned and not obstructed.

4. Reassembly of Firearm

- Reassemble the firearm according to the manufacturer's guidelines.
- Ensure that all parts are securely fastened and functioning correctly.

5. Function Test

- Conduct a function test in a safe environment to ensure that the firearm operates as intended.
- Check for smooth action and proper trigger pull.

Disposal Instructions

- Dispose of old springs and components in accordance with local regulations.
- Do not dispose of springs in regular household waste.
- Consider recycling options if available in your area.

Contact Information for Further Support

For any questions or concerns regarding the GUNSLINGER HANDGUN SPRING KITS COLT SAA SPRING KIT, please refer to the manufacturer's contact details provided with the product packaging.

By following these safety instructions, you can ensure a safe and enjoyable experience with your GUNSLINGER HANDGUN SPRING KITS COLT SAA SPRING KIT. Thank you for your attention to safety!

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at