

# TSR PICATINNY SCOPE RINGS - 30MM MEDIUM (1.075") ALUMINUM RINGS

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

## Super Holding Power, Precision Alignment

TSR Series Rings, precisely machined from an aluminum billet, with tolerances held to .0002", give maximum scope/ring contact. Holds scope securely against recoil. Four-screw cap lets you align the reticle, tighten the left side of the cap, then the right side without the scope rotating. Radiused edges and corners help prevent snagging while providing attractive appearance. Large, clamp-nut lets you torque rings to Mil-STD 1913 (Picatinny) bases.



## Attributes

- Name: [30MM MEDIUM \(1.075"\) ALUMINUM RINGS](#)
- Manufacturer: [TPS PRODUCTS](#)
- Product no.: 100000958
- Mfr. No.: 30581
- Finish: Matte Blue
- Height: 1.075"
- Material: Aluminum
- Scope Tube Diameter: 30mm
- Size: Medium
- Style: Tactical Rings
- Delivery weight: 0.143kg
- Shipping height: 32mm
- Shipping width: 83mm
- Shipping length: 152mm
- UPC: 071611305815

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [TSR Picatinny Scope Rings Consumer Safety Instruction Guide](#)
- [About Us](#)

# TSR Picatinny Scope Rings Consumer Safety Instruction Guide

## Introduction

Thank you for choosing the TSR Picatinny Scope Rings. These highquality aluminum rings are designed to securely hold your scope in place, ensuring optimal performance and safety during use. This guide provides essential safety instructions to help you use the product safely and effectively, in compliance with the EU General Product Safety Regulation (GPSR).

## General Safety Guidelines

- Always inspect the product for any visible damage before use. Do not use if damaged.
- Ensure that the scope rings are compatible with your scope and firearm.
- Follow all manufacturer instructions for installation and usage.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Ensure that the scope is properly aligned before tightening the screws.
- Do not overtighten the screws, as this may damage the scope or the rings.
- Regularly check the tightness of the screws, especially after heavy use or recoil.
- Avoid using the scope rings in extreme weather conditions without appropriate protection.
- Be cautious when handling tools during installation to prevent injury.

## Instructions for Installation and Usage

### 1. Installation Steps:

- Gather all necessary tools, including a torque wrench.
- Place the scope in the rings and align it to your desired position.
- Secure the scope by tightening the fourscrew cap:
  - First, tighten the left side of the cap.
  - Then, tighten the right side to ensure the scope remains aligned.
- Torque the rings to the recommended specifications for MilSTD 1913 (Picatinny) bases.
- Ensure that the rings are securely attached to the base and that there is no movement.

### 2. Usage Instructions:

- After installation, check the alignment and make any necessary adjustments.
- Use the scope responsibly and in accordance with firearm safety guidelines.
- Regularly inspect the scope rings for wear or damage, especially after extensive use.

## Disposal Instructions

- Dispose of any packaging materials according to local regulations.
- If the product is no longer usable, recycle the aluminum components where possible.
- Do not dispose of the product in household waste. Follow local electronic waste disposal guidelines.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the product, please refer to the manufacturer's contact details provided with the product packaging.

Thank you for your attention to these safety guidelines. Enjoy your experience with the TSR Picatinny Scope Rings!

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)