

TSR-W PICATINNY/WEAVER SCOPE RINGS - TPS PRODUCTS TSR-W STEEL RINGS 1" LOW

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

TSR "W" Series Rings, precisely machined from an alloy steel billet, with tolerances held to .0002", give maximum scope/ring contact. Holds scope securely against recoil. Four-screw cap lets you align the reticle, tighten the left side of the cap, then the right side without the scope rotating. Radiused edges and corners help prevent snagging while providing attractive appearance. Large, clamp-nut lets you torque rings to Weaver-style or Mil-STD 1913 (Picatinny) bases.



Attributes

- Name: [TPS PRODUCTS TSR-W STEEL RINGS 1" LOW](#)
- Manufacturer: [TPS PRODUCTS](#)
- Product no.: 100001403
- Mfr. No.: 30600
- Finish: Matte Blue
- Height: .785"
- Material: Steel
- Scope Tube Diameter: 1"
- Size: Low
- Style: Tactical Rings
- Delivery weight: 0.204kg
- Shipping height: 58mm
- Shipping width: 61mm
- Shipping length: 94mm
- UPC: 071611306003

Item details

Made in USA

Table of Contents

- Startpage
- TSRW Picatinny/Weaver Scope Rings Safety Instructions
- About Us

TSRW Picatinny/Weaver Scope Rings Safety Instructions

Introduction

Thank you for choosing the TSRW Picatinny/Weaver Scope Rings by TPS Products. These rings are designed to securely hold your scope in place, ensuring optimal performance and accuracy. This guide provides essential safety instructions to help you use and maintain the product safely and effectively in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always read the product manual before use.
- Ensure the product is suitable for your specific scope and firearm.
- Regularly inspect the scope rings for any signs of wear or damage.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe product experiences or accidents to the appropriate authorities.
- Stay informed about potential recalls or safety updates via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the scope rings are compatible with your scope's tube diameter of 1 inch.
- Do not exceed the recommended torque specifications when tightening the rings.
- Avoid using the scope rings if they show signs of damage or corrosion.
- Do not modify or alter the scope rings in any way.
- Always check that the scope is securely mounted before use.
- Be cautious of sharp edges during installation and handling.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and screwdrivers.
- Ensure your firearm is unloaded and pointed in a safe direction.

2. Installation:

- Place the scope rings on the Picatinny or Weaver base.
- Align the rings with the scope's tube and ensure they are positioned correctly.
- Use the fourscrew cap to secure the scope:
 - Tighten the left side of the cap first.
 - Then, tighten the right side to prevent the scope from rotating.
- Ensure the reticle is aligned properly before final tightening.

3. PostInstallation Check:

- Verify that the scope is securely held in place and that there is no movement.
- Check that the rings are torqued to the manufacturer's specifications.

4. Usage:

- During use, periodically check the scope rings for tightness and any signs of wear.
- If you experience any issues with the scope's alignment or stability, stop using the firearm and

inspect the scope rings.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling the product if possible, as it is made from steel.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk