

AR-15 MCTAR-ERS REAR SIGHT - MIDWEST INDUSTRIES AR-15 FLIP-UP ADJUSTABLE MCTAR-ERS REAR SIGHT BLACK

[Rifle Parts](#) > [Sights](#) > [Rear Sights](#)

Instant Back-Up Sighting At All Ranges

Flip-up sights deploy with the flick of a finger to provide instant back-up, so you stay in the fight if your optic or laser sight fails. Super-smooth pivot mechanism with sturdy ball-bearing detent locks positively in the raised position and stays locked until you hit the pushbutton release. Sight folds down neatly out of your sight path when not in use. Machined from high-quality 6061 T6 aluminum and hardcoat anodized for increased wear-resistance. Hex wrench included with all models for easy installation. Rear Sights clamp securely to flattop receivers. Flip-style A2 aperture features a small peep opening for long-range daylight shots and a large opening for close-range and low-light work. Same-plane calibration ensures the point of impact will not change when switching from one aperture to the other. Deeply grooved knob provides positive clicks for windage adjustment in .65 MOA increments on rifles and carbines with 16" barrels and .49 MOA on rifles with 20" barrels. MCTAR-ERS - Emergency Rear Sight with protective "ears" to guard the aperture from accidental damage. Aperture has .060" and .200" diameter peep openings; same windage knob as standard A2 sight.



Attributes

- Name: [MIDWEST INDUSTRIES AR-15 FLIP-UP ADJUSTABLE MCTAR-ERS REAR SIGHT BLACK](#)
- Manufacturer: [MIDWEST INDUSTRIES](#)
- Product no.: 100001992
- Mfr. No.: MCTAR-ERS
- Colour: Black
- Style: Adjustable, Flip-Up
- Weapon type: AR-15
- Delivery weight: 0.045kg
- Shipping height: 36mm
- Shipping width: 99mm
- Shipping length: 119mm
- UPC: 816537011002

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for AR15 MCTARERS Rear Sight](#)
- [About Us](#)

Safety Instruction Guide for AR15 MCTARERS Rear Sight

Introduction

Thank you for choosing the AR15 MCTARERS Rear Sight by Midwest Industries. This guide provides essential safety instructions and usage guidelines to ensure your product is used safely and effectively. Please read this guide carefully before using the rear sight.

General Safety Guidelines

- **Product Safety:** This rear sight is designed for safe use on AR15/M16 rifles. Ensure that you follow all safety instructions to avoid injuries.
- **Enhanced Recalls:** Stay informed about recalls. In the unlikely event of a product recall, follow the instructions provided for returns or remedies.
- **Online Shopping Safety:** If you purchased this product online, ensure that the seller complies with EU safety regulations.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors.
- **EU Contact Point:** For safety inquiries, you can consult your local EU contact point.
- **Rapid Alerts:** Regularly check the EU Safety Gate platform for updates on any unsafe products.

Specific Safety Precautions for Use

- **Handling:** Always handle the rear sight with care. Avoid dropping or striking it against hard surfaces.
- **Installation:** Ensure proper installation to avoid malfunction. Follow the installation instructions provided in this guide.
- **Adjustment:** Make adjustments only when the firearm is unloaded and pointed in a safe direction.
- **Inspection:** Regularly inspect the rear sight for any signs of wear or damage. Replace it if any defects are found.
- **Use in Safe Environments:** Only use this sight in controlled environments where safe shooting practices can be maintained.

Instructions for Installation and Usage

Installation

1. **Tools Required:** Use the included hex wrench for installation.
2. **Mounting:**
 - Ensure the firearm is unloaded.
 - Align the rear sight with the flattop receiver.
 - Securely clamp the sight onto the receiver using the hex wrench.
3. **Check Stability:** After installation, check that the sight is firmly attached and does not move.

Usage

1. **Deploying the Sight:**
 - Flick the sight up using your finger to deploy it.
 - Ensure the sight locks into the raised position before use.
2. **Adjusting for Windage:**
 - Use the deeply grooved knob to adjust windage in .65 MOA increments for 16" barrels and .49 MOA for 20" barrels.
3. **Using Apertures:**
 - Switch between the small and large peep openings based on your shooting needs.

- Ensure sameplane calibration to maintain point of impact.

Disposal Instructions

- Dispose of the rear sight in accordance with local regulations.
- Do not dispose of it in regular household waste.
- Consider recycling options for aluminum components.

Contact Information for Further Support

For questions or concerns regarding the AR15 MCTARERS Rear Sight, please consult your local retailer or contact the manufacturer directly for assistance.

Thank you for prioritizing safety while using your AR15 MCTARERS Rear Sight. Enjoy your shooting experience responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk