

AR-15 GAS BLOCK PICATINNY .750 STEEL BLACK

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

Tough Steel Construction

Steel gas block with integral Picatinny rail has extra height that lets you mount a flip up or co-witness front sight on the same plane as the receiver rail of your flattop AR-15/M16. Add a Picatinny rail handguard to have a continuous rail extending from the receiver to the gas block for superb accessory mounting flexibility. Precision machined from tough 4140 billet steel to stand up to tens of thousands of rounds without eroding. Fits .750" O.D. barrels, and locks securely to barrel with three setscrews.



Attributes

- Name: [AR-15 GAS BLOCK PICATINNY .750 STEEL BLACK](#)
- Manufacturer: [MIDWEST INDUSTRIES](#)
- Product no.: 100003073
- Mfr. No.: MCTAR-UHGB
- Inside Diameter: .750
- Make: AR-15
- Material: Steel
- Style: Picatinny
- Delivery weight: 0.204kg
- Shipping height: 23mm
- Shipping width: 99mm
- Shipping length: 122mm
- UPC: 081653701551

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instructions for AR15 Gas Block Picatinny
- About Us

Safety Instructions for AR15 Gas Block Picatinny

Introduction

Thank you for choosing the AR15 Gas Block Picatinny. This product is designed to enhance your shooting experience by providing a reliable and versatile mounting solution for your front sight. Please read this safety instruction guide carefully to ensure safe and proper use of the product.

General Safety Guidelines

- Always ensure that the firearm is unloaded before installing or handling the gas block.
- Follow all local laws and regulations regarding firearm modifications and accessories.
- Use only with .750" O.D. barrels to ensure proper fit and function.
- Regularly inspect the gas block for signs of wear or damage before use.
- Keep the gas block and all firearm components out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the gas block is securely fastened to the barrel using the provided setscrews.
- Do not exceed the recommended weight limit for accessories mounted on the Picatinny rail.
- Always wear appropriate eye and ear protection when shooting.
- Be aware of your surroundings and ensure a safe shooting environment.
- If you experience any malfunctions or irregularities while using your firearm, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove any existing gas block if applicable.
- Place the new gas block onto the .750" O.D. barrel.
- Align the gas port of the block with the gas port of the barrel.
- Secure the gas block in place by tightening the three setscrews evenly to avoid misalignment.

2. Usage:

- After installation, check that the gas block is securely attached before each use.
- Attach your flipup or cowitness front sight to the Picatinny rail as needed.
- Test the setup at a safe shooting range to ensure proper function and alignment.

Disposal Instructions

- Dispose of the gas block in accordance with local regulations regarding metal waste.
- If the gas block shows signs of damage or wear that could compromise safety, do not attempt to repair it. Dispose of it properly.

Contact Information for Further Support

For any inquiries or additional support regarding the AR15 Gas Block Picatinny, please refer to the contact information provided with your product packaging or visit the manufacturer's website.

Thank you for prioritizing safety and responsible use. Enjoy your shooting experience with the AR15 Gas Block

Picatinny!

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at