

1911 RECOIL SPRING PLUG - NIGHTHAWK CUSTOM COMMANDER RECOIL SPRING PLUG

[Handgun Parts](#) > [Recoil Parts](#) > [Recoil Spring Plugs](#)

Fully Finished Replacement For Worn Or Lost Factory Plug

High-quality steel replacement for a lost or dinged up recoil plug is available in both Government and Commander sizes. Blued, semi-gloss finish and fine, diamond pattern checkering on tip. Easy to lose during field stripping, and your gun won't work without it, so have a spare ready.



Attributes

- Name: [NIGHTHAWK CUSTOM COMMANDER RECOIL SPRING PLUG](#)
- Manufacturer: [NIGHTHAWK CUSTOM](#)
- Product no.: 100003259
- Mfr. No.: SP0311
- Model: Commander
- Weapon type: 1911
- Delivery weight: 0.009kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 080683000573

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 1911 Recoil Spring Plug Nighthawk Custom Commander](#)
- [About Us](#)

Safety Instruction Guide for 1911 Recoil Spring Plug Nighthawk Custom Commander

Introduction

Thank you for choosing the 1911 Recoil Spring Plug from Nighthawk Custom. This highquality steel replacement part is designed for use in both Government and Commander models of the 1911 firearm. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure that the firearm is unloaded before attempting to install or replace the recoil spring plug.
- Always handle firearms with care and in accordance with local laws and regulations.
- Keep firearms and firearm parts out of reach of children and unauthorized users.
- Regularly inspect all firearm components, including the recoil spring plug, for signs of wear or damage.
- If you notice any defects or issues with the recoil spring plug, discontinue use immediately and contact a qualified gunsmith.

Specific Safety Precautions for Use

- The recoil spring plug is a critical component of the firearm's operation. Ensure it is securely installed before using the firearm.
- Avoid using excessive force when installing or removing the recoil spring plug to prevent damage to the firearm or the plug itself.
- Do not attempt to modify the recoil spring plug or use it in a manner not specified by the manufacturer.
- Always wear appropriate eye protection when handling firearms.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is completely unloaded.
- Gather necessary tools, including a punch tool and a small hammer if needed.

2. Installation Steps:

- Remove the slide from the frame of the firearm.
- Carefully remove the old recoil spring plug (if applicable) by pushing it out with a punch tool.
- Take the new Nighthawk Custom recoil spring plug and align it with the recoil spring assembly.
- Gently push the new recoil spring plug into place, ensuring it is seated properly.

3. Final Checks:

- Reassemble the slide onto the frame, ensuring all components are aligned correctly.
- Perform a function check to ensure the firearm operates smoothly with the new recoil spring plug installed.
- Store any spare recoil spring plugs in a safe location.

Disposal Instructions

- Dispose of any old or damaged recoil spring plugs in accordance with local regulations for metal waste.
- If the recoil spring plug is part of a larger assembly that is being replaced, ensure that all components are disposed of responsibly.

Contact Information for Further Support

For any inquiries regarding the installation, usage, or safety of the 1911 Recoil Spring Plug, please reach out to the manufacturer or a qualified firearms expert.

By following these guidelines, you can help ensure your safety and the proper functioning of your firearm. Thank you for your attention to these important safety instructions.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk