

O-RING CLEANING JAGS - TCS 20 GA. CLEANING JAG

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Jags](#)

Increases Patch Pressure On Bore For Improved Cleaning Action

Solid aluminum jags with rubber O-rings are ideal for cleaning the bore of your gun without worrying about damaging the rifling. O-rings press patch firmly into bore surface for efficient cleaning action on powder, lead, copper, and plastic fouling. For use with patches, steel wool, and bronze wool. Shotgun and Black Powder jags are color coded; Rifle/Handgun jags are numbered for easy identification. In order to use TCS Manufacturing jags, you must use round patches that are .015" thick.



Attributes

- Name: [TCS 20 GA. CLEANING JAG](#)
- Manufacturer: [TCS](#)
- Product no.: 100003287
- Mfr. No.: J20
- Caliber: 20 Gauge
- Delivery weight: 0.005kg
- Shipping height: 10mm
- Shipping width: 66mm
- Shipping length: 86mm
- UPC: 689466088045

Item details

Made in USA

Table of Contents

- Startpage
- ORING CLEANING JAGS TCS 20 GA. CLEANING JAG Safety Instruction Guide
- About Us

ORING CLEANING JAGS TCS 20 GA. CLEANING JAG Safety Instruction Guide

Introduction

Thank you for choosing the ORING CLEANING JAGS TCS 20 GA. CLEANING JAG. This product is designed to facilitate the cleaning of your firearm's bore without risking damage to the rifling. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the cleaning jag is used only for its intended purpose, which is to clean firearm bores.
- Always handle firearms safely and in accordance with the manufacturer's instructions.
- Keep the cleaning jag and all cleaning materials out of reach of children.
- Regularly inspect the cleaning jag for any signs of wear or damage before use.
- Do not use the cleaning jag if it shows signs of damage or if the rubber Orings are worn out.
- Follow all local laws and regulations regarding firearm maintenance and cleaning.

Specific Safety Precautions for Use

- Use only round patches that are .015" thick with the TCS Manufacturing jags to ensure proper fit and function.
- Do not force the cleaning jag into the bore; it should fit snugly but not require excessive force.
- Avoid using sharp objects or excessive pressure during cleaning, as this may cause damage to the bore or jag.
- When cleaning, ensure that the firearm is unloaded and pointed in a safe direction.
- Be cautious when using cleaning solvents or chemicals; always read and follow the manufacturer's safety instructions for those products.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the firearm is unloaded and in a safe condition.
- Gather all necessary cleaning materials, including patches, steel wool, or bronze wool.

2. Attaching the Cleaning Jag:

- Select the appropriate cleaning jag based on the gauge of your shotgun or caliber of your rifle/handgun.
- Screw the cleaning jag onto the cleaning rod, ensuring it is securely attached.

3. Using the Cleaning Jag:

- Take a round patch that is .015" thick and insert it into the cleaning jag.
- Gently push the cleaning jag into the bore, ensuring that it fits snugly.
- Pull the jag through the bore in one smooth motion, removing fouling from the rifling.
- Repeat the process as necessary, changing patches as they become dirty.

4. After Cleaning:

- Inspect the bore for any remaining fouling and repeat the cleaning process if necessary.
- Clean the jag and rod with a suitable solvent and allow them to dry completely before storage.

Disposal Instructions

- Dispose of used cleaning patches and materials in accordance with local waste disposal regulations.
- Do not dispose of cleaning materials in the environment; always use designated waste disposal methods.

Contact Information for Further Support

For any inquiries or further assistance regarding the ORING CLEANING JAGS TCS 20 GA. CLEANING JAG, please refer to the manufacturer's contact details provided with the product.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of the ORING CLEANING JAGS TCS 20 GA. CLEANING JAG. Always prioritize safety and compliance with local laws during firearm maintenance. Thank you for your attention to these guidelines, and enjoy using your cleaning jag responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk