

O-RING CLEANING JAGS - TCS 28 GA. CLEANING JAG

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Jags](#)

Increases Patch Pressure On Bore For Improved Cleaning Action

Solid aluminum jags with rubber O-rings are ideal for cleaning the bore of your gun without worrying about damaging the rifling. O-rings press patch firmly into bore surface for efficient cleaning action on powder, lead, copper, and plastic fouling. For use with patches, steel wool, and bronze wool. Shotgun and Black Powder jags are color coded; Rifle/Handgun jags are numbered for easy identification. In order to use TCS Manufacturing jags, you must use round patches that are .015" thick.



Attributes

- Name: [TCS 28 GA. CLEANING JAG](#)
- Manufacturer: [TCS](#)
- Product no.: 100003288
- Mfr. No.: J28
- Caliber: 28 Gauge
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 689466088052

Item details

Made in USA

Table of Contents

- Startpage
- ORING CLEANING JAGS TCS 28 GA. CLEANING JAG Safety Instruction Guide
- About Us

ORING CLEANING JAGS TCS 28 GA. CLEANING JAG Safety Instruction Guide

Introduction

Thank you for choosing the ORING CLEANING JAGS TCS 28 GA. CLEANING JAG. This product is designed to effectively clean the bore of your firearm while ensuring safety and preserving the integrity of the rifling. Please read this safety instruction guide carefully to ensure proper use and maintenance of the product.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the ORING CLEANING JAG when cleaning your firearm. Follow all safety instructions to minimize risks.
- **Enhanced Recalls:** Be aware that in case of a product recall, standardized notices will be provided, and free remedies will be offered for dangerous products.
- **Online Shopping:** If purchased online, ensure the seller complies with safety regulations similar to physical stores.
- **Special Consumer Focus:** Extra care should be taken when using this product around vulnerable groups, including children.
- **EU Contact Point:** For any safety inquiries, refer to the EU-based contact provided with your product.
- **Rapid Alerts:** Stay informed about any unsafe products through the EU's Safety Gate system.

Specific Safety Precautions for Use

- Always ensure the firearm is unloaded before using the cleaning jag.
- Use only round patches that are .015" thick with the cleaning jag to prevent damage.
- Avoid using excessive force when cleaning to prevent damage to the bore or jag.
- Do not use the cleaning jag if it shows signs of wear or damage.
- Keep the cleaning jag and all cleaning materials out of reach of children.
- Wear protective eyewear to prevent debris from entering your eyes during cleaning.
- Do not use the cleaning jag for purposes other than intended.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is completely unloaded.
- Gather all necessary cleaning materials, including patches, steel wool, or bronze wool.

2. Attaching the Cleaning Jag:

- Select the appropriate cleaning jag based on your firearm's caliber.
- Screw the cleaning jag onto the cleaning rod using the male threads. Ensure it is securely attached.

3. Using the Cleaning Jag:

- Take a round patch that is .015" thick and press it firmly onto the cleaning jag.
- Insert the jag into the bore of the firearm.
- Move the jag in and out of the bore smoothly to clean effectively.
- Repeat as necessary until the bore is clean.

4. PostCleaning:

- After cleaning, remove the cleaning jag from the cleaning rod.
- Clean the jag with a suitable solvent to remove any fouling.
- Store the cleaning jag in a dry place, away from moisture and direct sunlight.

Disposal Instructions

- Dispose of any used patches, steel wool, or bronze wool in accordance with local regulations.
- Do not dispose of the cleaning jag in regular household waste if it is damaged. Follow local hazardous waste disposal guidelines.

Contact Information for Further Support

For any questions or concerns regarding the ORING CLEANING JAGS TCS 28 GA. CLEANING JAG, please refer to the contact information provided with your product packaging. It is important to reach out for assistance if you encounter any issues or have safety inquiries.

Conclusion

By following these safety instructions, you can ensure a safe and effective cleaning experience with your ORING CLEANING JAGS TCS 28 GA. CLEANING JAG. Always prioritize safety and proper handling to maintain the integrity of your firearm and the effectiveness of this cleaning tool. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk