

SLING SWIVEL SETS - GROVTEC US 1" FITS .22RIMFIRE W/.420-.470 DIA MAGAZINE TUBE

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Barrel Band Mounts](#)

Dependable, All Steel With Quick Release System

All-steel swivels are made in the U.S.A. and contain no plastic parts to crack and fail when you least expect it. Quick-detach feature allows you to use one sling for several rifles. Swivel attaches to mounting stud and locks down with knurled cylinder nut to prevent accidental opening. Available for 1" wide slings. All sets includes swivels & rear stud.



Attributes

- Name: [GROVTEC US 1" FITS .22RIMFIRE W/.420-.470 DIA MAGAZINE TUBE](#)
- Manufacturer: [GROVTEC US](#)
- Product no.: 100003368
- Mfr. No.: GTSW40
- Material: Steel
- Style: Barrel Band
- Delivery weight: 0.045kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 895474001406

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for SLING SWIVEL SETS GROVTEC US 1" FITS .22RIMFIRE W/.420.470 DIA MAGAZINE TUBE](#)
- [About Us](#)

Safety Instruction Guide for SLING SWIVEL SETS GROVTEC US 1" FITS .22RIMFIRE W/.420.470 DIA MAGAZINE TUBE

Introduction

Thank you for choosing the SLING SWIVEL SETS from GROVTEC US. This product is designed to enhance your shooting experience by providing a reliable and durable sling attachment system for your rifles. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Always handle firearms with care and respect.
- Ensure that the sling swivel set is compatible with your rifle before installation.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the sling swivels and rear stud for wear or damage.
- If you notice any damage or malfunction, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Ensure that the sling is securely attached to the swivel and that the swivel is properly mounted to the rifle.
- Avoid excessive force when attaching or detaching the sling to prevent damage.
- Do not use the sling swivel set for any purpose other than its intended use.
- Be cautious of the swivel's locking mechanism; ensure it is fully engaged before use.
- If you are unfamiliar with firearm accessories, seek guidance from a knowledgeable individual.

Instructions for Installation and Usage

1. Installation of the Swivel:

- Locate the mounting stud on your rifle.
- Align the swivel with the mounting stud.
- Slide the swivel onto the mounting stud until it is fully seated.
- Secure the swivel by tightening the knurled cylinder nut until it is snug. Avoid overtightening.

2. Attaching the Sling:

- Take your 1" wide sling and attach it to the swivel.
- Ensure that the sling is threaded correctly through the swivel.
- Doublecheck that the sling is securely fastened before use.

3. Using the Sling:

- Adjust the sling to your desired length for comfortable carrying.
- Always ensure the sling is properly adjusted and secured before moving with the rifle.

4. Removing the Sling:

- To detach the sling, reverse the attachment process.
- Unscrew the knurled cylinder nut and slide the swivel off the mounting stud.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- If the product is damaged or no longer in use, consider recycling the metal components where possible.

Contact Information for Further Support

For any safety inquiries or concerns regarding the SLING SWIVEL SETS, please consult the manufacturer's contact information provided with your product packaging.

By following these guidelines, you can ensure the safe and effective use of your SLING SWIVEL SETS. Thank you for prioritizing safety in your shooting experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk