

AR-15 REAR SIGHT - TROY INDUSTRIES AR-15 FLIP-UP ADJUSTABLE REAR SIGHT BLACK

[Rifle Parts](#) > [Sights](#) > [Rear Sights](#)

Rugged, Reliable Backup Sighting; Same Height As Factory Iron Sights

Rugged, flip-up sights provide failsafe backup when your primary optic or red dot sight fails. Deploys easily and locks securely in place under powerful spring pressure and two locking detent balls, so it can't be accidentally bumped down until you hit the spring-loaded button on the left side of the base to retract it. Positions apertures at the same height as factory sights, simplifying integration of these sights on your rifle. Base clamps securely to any military or commercial Picatinny rail using a standard flathead screwdriver - no knobs or levers to catch on brush, clothing, or other gear. Protective "ears" shield posts and apertures from impact. Rear sights bolt to flattop receiver rail and are only .460" high when folded. Detent-locking adjustment wheel lets you change the windage setting in $\frac{1}{2}$ MOA increments.



Rugged, flip-up sights provide failsafe backup when your primary optic or red dot sight fails. Deploys easily and locks securely in place under powerful spring pressure and two locking detent balls, so it can't be accidentally bumped down until you hit the spring-loaded button on the left side of the base to retract it. Positions apertures at the same height as factory sights, simplifying integration of these sights on your rifle. Base clamps securely to any military or commercial Picatinny rail using a standard flathead screwdriver - no knobs or levers to catch on brush, clothing, or other gear. Protective "ears" shield posts and apertures from impact. Rear sights bolt to flattop receiver rail and are only .460" high when folded. Detent-locking adjustment wheel lets you change the windage setting in $\frac{1}{2}$ MOA increments. HK-Style Rear - two same-plane apertures: large .190" aperture provides a wide field of view for close-in targets, while .070" aperture is calibrated for engaging long-range targets. Also available with a Tritium dot on each side of large aperture. DOA Rear - diamond-shaped Di-Optic Aperture (DOA) works like invisible crosshairs to center the eye for lightning fast target acquisition. Same-plane aperture has two settings, for targets out to 300 meters and out to 550 meters. Front sights clamp to handguard accessory rail and are only $\frac{1}{2}$ " high when folded. All models have M4-type post that's elevation adjustable in $\frac{1}{2}$ MOA increments. HK-Style Front - distinctive "globe" shape that aids in fast target acquisition under stress. Also available with a self-illuminating Tritium dot on the post for precise shot placement in low-light conditions. M4/M16-Style Front - deep grooves on housing ensure a firm grasp for fast deployment.

Attributes

- Name: [TROY INDUSTRIES AR-15 FLIP-UP ADJUSTABLE REAR SIGHT BLACK](#)
- Manufacturer: [TROY INDUSTRIES](#)
- Product no.: 100003442
- Mfr. No.: SSIG-FBS-R0BT-00
- Colour: Black
- Style: Adjustable,Flip-Up

- Weapon type: AR-15
- Delivery weight: 0.068kg
- Shipping height: 25mm
- Shipping width: 145mm
- Shipping length: 201mm
- UPC: 812699010709

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Rear Sight by Troy Industries
- About Us

Safety Instruction Guide for AR15 Rear Sight by Troy Industries

Introduction

Thank you for choosing the AR15 Rear Sight by Troy Industries. This guide provides essential safety instructions to ensure the safe use, installation, and disposal of your product. Please read this manual carefully before use and keep it for future reference.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions to prevent accidents and injuries.
- Always check the product for any signs of damage before use. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents to the appropriate authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always wear appropriate protective gear, such as eye protection, when using the AR15 Rear Sight.
- Ensure that the sight is securely attached to the rifle before use to prevent it from detaching during operation.
- Be aware of your surroundings and ensure a clear line of sight when aiming.
- Do not attempt to modify the sight or its components, as this may compromise safety.
- If the sight does not deploy or retract properly, cease use immediately and consult the manufacturer.

Instructions for Installation and Usage

Installation

1. Gather Required Tools:

- Standard flathead screwdriver.

2. Attach the Rear Sight:

- Locate the Picatinny rail on your rifle.
- Align the base of the rear sight with the rail.
- Using the flathead screwdriver, tighten the screws to secure the sight firmly in place. Ensure that it does not move or wobble.

3. Check Alignment:

- Once installed, check that the sight aligns with your primary optic or red dot sight.

Usage

1. Deploying the Sight:

- To deploy the sight, press the springloaded button located on the left side of the base.
- The sight will flip up and lock into place under spring pressure.

2. Adjusting Windage:

- To adjust the windage, use the detentlocking adjustment wheel.
- Turn the wheel to change the setting in $\frac{1}{2}$ MOA increments.

3. Folding the Sight:

- To fold the sight down, press the springloaded button again and gently push the sight down until it locks in the folded position.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic and metal waste.
- Do not dispose of the product in regular household waste.
- If unsure about disposal methods, contact local waste management authorities for guidance.

Contact Information for Further Support

For any inquiries regarding safety, installation, or usage, please refer to the manufacturer's contact information provided with the product packaging.

Thank you for your attention to these safety guidelines. Your safety and the safety of others is our top priority. Enjoy your AR15 Rear Sight responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk