

# AR-15 REAR SIGHT - AR-15 FLIP-UP ADJUSTABLE REAR SIGHT DARK EARTH

[Rifle Parts](#) > [Sights](#) > [Rear Sights](#)

## Rugged, Reliable Backup Sighting; Same Height As Factory Iron Sights

Rugged, flip-up sights provide failsafe backup when your primary optic or red dot sight fails. Deploys easily and locks securely in place under powerful spring pressure and two locking detent balls, so it can't be accidentally bumped down until you hit the spring-loaded button on the left side of the base to retract it. Positions apertures at the same height as factory sights, simplifying integration of these sights on your rifle. Base clamps securely to any military or commercial Picatinny rail using a standard flathead screwdriver - no knobs or levers to catch on brush, clothing, or other gear. Protective "ears" shield posts and apertures from impact. Rear sights bolt to flattop receiver rail and are only .460" high when folded. Detent-locking adjustment wheel lets you change the windage setting in  $\frac{1}{2}$  MOA increments.



## Attributes

- Name: [AR-15 FLIP-UP ADJUSTABLE REAR SIGHT DARK EARTH](#)
- Manufacturer: [TROY INDUSTRIES](#)
- Product no.: 100003443
- Mfr. No.: SSIG-FBS-ROFT-00
- Color: Dark Earth
- Make: AR-15
- Style: Adjustable,Flip-Up
- Delivery weight: 0.068kg
- Shipping height: 25mm
- Shipping width: 145mm
- Shipping length: 201mm
- UPC: 812699010716

## Item details

Made in USA

# Table of Contents

- Startpage
- AR15 Rear Sight Safety Instruction Guide
- About Us

# AR15 Rear Sight Safety Instruction Guide

## Introduction

Thank you for choosing the AR15 Rear Sight. This guide provides essential safety instructions to ensure the safe use and maintenance of your product. Please read this document carefully before use to ensure a safe and enjoyable experience.

## General Safety Guidelines

- Ensure that the AR15 Rear Sight is installed correctly before use.
- Always treat the firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Be aware of your surroundings and the potential for ricochets or missed shots.
- Do not use the sight in conditions that could impair your vision, such as low light or heavy rain.
- Regularly inspect the sight for any damage or wear before and after each use.
- Store the sight in a secure location away from children and unauthorized users.
- Follow all local laws and regulations regarding firearm accessories.

## Specific Safety Precautions for Use

### • Installation Precautions:

- Ensure that the Picatinny rail is clean and free from obstructions before installation.
- Do not overtighten the screws during installation, as this may damage the sight or the rail.

### • Usage Precautions:

- Only use the sight when the firearm is in a safe and controlled environment.
- Always use appropriate eye and ear protection when shooting.
- If the sight becomes loose or misaligned during use, stop using the firearm immediately and check the sight's installation.

### • Handling Precautions:

- Do not attempt to adjust the sight while aiming or firing.
- Use the detentlocking adjustment wheel carefully to avoid unintended adjustments.
- Keep fingers away from the trigger until you are ready to shoot.

## Instructions for Installation and Usage

### Installation Steps

#### 1. Preparation:

- Gather the necessary tools: a standard flathead screwdriver.
- Ensure the firearm is unloaded and pointed in a safe direction.

#### 2. Mounting the Sight:

- Align the base of the rear sight with the desired position on the Picatinny rail.
- Using the flathead screwdriver, tighten the screws securely without overtightening.

#### 3. Adjusting the Sight:

- To adjust the windage setting, use the detent locking adjustment wheel.
- Make adjustments in  $\frac{1}{2}$  MOA increments as needed.

#### 4. Final Check:

- Ensure the sight is locked securely in place and does not move when pressure is applied.

## Usage Steps

### 1. Preparation:

- Ensure the firearm is loaded with the appropriate ammunition.
- Confirm that the rear sight is fully deployed and locked in place.

### 2. Aiming:

- Align the front sight with the rear sight aperture.
- Maintain a proper shooting stance and grip on the firearm.

### 3. Firing:

- Once aimed, gently squeeze the trigger to fire.
- After firing, assess the sight and make any necessary adjustments.

## Disposal Instructions

When disposing of the AR15 Rear Sight, follow these guidelines:

- Do not dispose of the sight in regular household waste.
- Check local regulations for proper disposal methods for metal and plastic components.
- If the sight is damaged or no longer usable, consider recycling materials where possible.

## Contact Information for Further Support

For any questions or concerns regarding the AR15 Rear Sight, please refer to the manufacturer's resources or contact your local dealer. Always ensure that you are following the latest safety regulations and guidelines.

By following these safety instructions, you can ensure a safe and effective experience with your AR15 Rear Sight. Thank you for your attention to safety.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)