

# AR-15 FLIP-UP FRONT SIGHT - 1.34" FLIP-UP FRONT SIGHT ALUMINUM DARK EARTH

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Rugged, flip-up sights provide failsafe backup when your primary optic or red dot sight fails. Sight body flips up easily when you need it and locks securely in place under powerful spring pressure and two locking detent balls, so it can't be accidentally bumped down until you hit the spring-loaded button on the left side of the base to retract it. Positions apertures at the same height as factory sights, simplifying integration of these sights on your rifle. Base clamps securely to any military or commercial Picatinny rail using a standard flathead screwdriver. No protruding knobs or levers to catch on brush, clothing, or other equipment. Sturdy, protective "ears" shield posts and apertures from impact. Front sights clamp to handguard accessory rail on the same plane as flattop and are only  $\frac{1}{2}$ " high when folded. All models have M4-type post that's elevation adjustable in  $\frac{1}{2}$  MOA increments.



## Attributes

- Name: [1.34" FLIP-UP FRONT SIGHT ALUMINUM DARK EARTH](#)
- Manufacturer: [TROY INDUSTRIES](#)
- Product no.: 100003447
- Mfr. No.: SSIG-FBS-FMFT-00
- Color: Dark Earth
- Height: 1.34
- Make: AR-15
- Material: Aluminum
- Style: Flip-Up
- Delivery weight: 0.068kg
- Shipping height: 25mm
- Shipping width: 145mm
- Shipping length: 201mm
- UPC: 812699010693

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for AR15 FlipUp Front Sight
- About Us

# Safety Instruction Guide for AR15 FlipUp Front Sight

## Introduction

Thank you for purchasing the AR15 FlipUp Front Sight. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of your product. Please read this manual carefully before use to understand the safety precautions and proper handling of your new sight.

## General Safety Guidelines

- Ensure that the sight is compatible with your firearm before installation.
- Always treat your firearm as if it is loaded, even when it is not.
- Keep the sight and all firearm accessories out of reach of children and unauthorized users.
- Regularly inspect the sight for any signs of wear or damage before use.
- If you notice any defects or issues, do not use the sight and contact a qualified professional for assistance.
- Follow all local laws and regulations regarding firearm accessories and usage.

## Specific Safety Precautions for Use

- Always use the sight in a safe environment and be aware of your surroundings.
- Do not attempt to adjust the sight while the firearm is loaded or pointed at anything you do not intend to shoot.
- Ensure that the sight is securely locked in place before using the firearm.
- Do not force the sight to flip up or down; use the springloaded button as intended.
- Avoid using the sight in extreme weather conditions that may affect its performance.
- Do not modify or alter the sight in any way, as this may compromise its safety and function.

## Instructions for Installation and Usage

### 1. Tools Required:

- Standard flathead screwdriver.

### 2. Installation Steps:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Locate the Picatinny rail on your firearm.
- Align the sight base with the rail and slide it into position.
- Use the flathead screwdriver to tighten the clamp securely to the rail.
- Ensure the sight is locked in place and does not move.

### 3. Using the Sight:

- To deploy the sight, press the springloaded button located on the left side of the base.
- Allow the sight to flip up into position; ensure it locks securely.
- To retract the sight, press the button again and gently push the sight down until it locks in place.

### 4. Height Adjustment:

- The front sight features an M4type post that is elevation adjustable.
- Adjust the elevation in  $\frac{1}{2}$  MOA increments as needed for accuracy.

## Disposal Instructions

- Dispose of the sight in accordance with local regulations regarding electronic waste and firearm accessories.
- If the sight is damaged beyond repair, ensure it is rendered unusable before disposal to prevent accidental use.

## Contact Information for Further Support

For safety inquiries, recalls, or support regarding the AR15 FlipUp Front Sight, please contact the manufacturer or refer to the product packaging for further details.

## Conclusion

By following these safety instructions and guidelines, you can ensure the safe and effective use of your AR15 FlipUp Front Sight. Always prioritize safety and responsibility when handling firearms and their accessories. For any further questions or concerns, please consult a qualified professional or refer to the manufacturer's resources.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)