

FIBER OPTIC FRONT SIGHTS for GLOCK® - WARREN TACTICAL SERIES FIBER OPTIC, .215 X .115

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

Used by numerous IDPA and USPSA National champions, as well as law enforcement professionals, these streamlined, steel sights are built for fast target acquisition. Designed to fit factory dovetails with little to no fitting required. Ramped Front Sights are available with an interchangeable bright red or green fiber optic rods for fast acquisition in diverse light conditions.



Attributes

- Name: [WARREN TACTICAL SERIES FIBER OPTIC, .215 X .115](#)
- Manufacturer: [WARREN TACTICAL SERIES](#)
- Product no.: 100003610
- Mfr. No.: GLOCK-WTL-_5
- Colour: Green/Red
- Height: .215
- Outline: None
- Style: Fiber Optic
- Weapon type: Glock
- Width: .115
- Delivery weight: 0.005kg
- Shipping height: 3mm
- Shipping width: 76mm
- Shipping length: 124mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [FIBER OPTIC FRONT SIGHTS Safety Instruction Guide](#)
- [About Us](#)

FIBER OPTIC FRONT SIGHTS Safety Instruction Guide

Introduction

Thank you for choosing the FIBER OPTIC FRONT SIGHTS for GLOCK® from WARREN TACTICAL SERIES. This product is designed for enhanced target acquisition and is used by champions and law enforcement professionals. To ensure your safety and the effective use of this product, please read this safety instruction guide carefully.

General Safety Guidelines

- Ensure that the product is installed correctly and securely before use.
- Always handle firearms with care and follow all safety protocols.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the sights for any signs of damage or wear.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about product recalls and safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use only with GLOCK® handguns as specified.
- Avoid using the sights in extreme weather conditions that may affect visibility.
- Do not attempt to modify or alter the sights in any way.
- Ensure that the fiber optic rods are intact and properly secured before use.
- If you experience any issues with the sights, cease use immediately and consult with a qualified professional.

Instructions for Installation and Usage

Installation

1. **Preparation:** Ensure that your firearm is unloaded and pointed in a safe direction.
2. **Remove Old Sights:** If applicable, carefully remove the existing front sight using appropriate tools.
3. **Align the Dovetail:** Position the new FIBER OPTIC FRONT SIGHT in the factory dovetail.
4. **Secure the Sight:** Gently tap the sight into place using a nonmarring tool until it is flush with the slide.
5. **Check Alignment:** Ensure the sight is aligned correctly with the rear sight for optimal accuracy.

Usage

- **Target Acquisition:** Use the bright red or green fiber optic rods to quickly acquire your target, especially in varying light conditions.
- **Regular Checks:** After installation, regularly check the sight for stability and function.
- **Cleaning:** Clean the fiber optic rods gently to maintain visibility without damaging them.

Disposal Instructions

- Dispose of any damaged or worn components in accordance with local regulations.
- Do not dispose of the product in regular household waste. Check for local recycling options or hazardous waste disposal guidelines.

Contact Information for Further Support

For any further inquiries or support regarding the FIBER OPTIC FRONT SIGHTS, please refer to the manufacturer's contact information provided with your product. Ensure you have the product details ready for a more efficient response.

By following these guidelines, you can help ensure your safety and the effective use of your FIBER OPTIC FRONT SIGHTS. Thank you for your attention to safety and for choosing our product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk