

AR-15/M16 USGI RANGER® FLOORPLATE 3 PACK - RANGER PLATE 5.56X45 FOR USGI 30RD AR-15 MAGAZINE ODG 3/PACK

[Magazines](#) > [Rifle Magazines](#) > [Magazine Parts](#) > [Magazine Floor Plates & Extensions](#)

Easier Mag Changes With Just A Finger

Two-piece, slide-on replacement for factory floorplate has a smoothly contoured, easy-to-grasp finger loop that helps you perform lightning-fast magazine changes in high stress situations. Aids in fast, positive extraction from tight mag pouches and helps you hang onto the empty magazine with just a finger after a tactical reload. Also cushions magazine from impact when dropped concrete or other hard surfaces. Made from tough, yet soft, non-slip synthetic rubber over a stainless steel core that snaps into a reinforced polymer insert to keep the Rangerplate firmly locked to the magazine. Includes molded-in para-cord hole for custom loop configurations. Sold in 3-paks and available in Black, Dark Earth and O.D. Green.



Attributes

- Name: [RANGER PLATE 5.56X45 FOR USGI 30RD AR-15 MAGAZINE ODG 3/PACK](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100003721
- Mfr. No.: MAG020-ODG
- Color: O.D. Green
- Make: AR-15
- Delivery weight: 0.091kg
- Shipping height: 25mm
- Shipping width: 114mm
- Shipping length: 197mm
- UPC: 873750000275

Item details

Made in USA

Table of Contents

- Startpage
- AR15/M16 USGI RANGER® FLOORPLATE 3 PACK Safety Instruction Guide
- About Us

AR15/M16 USGI RANGER® FLOORPLATE 3 PACK

Safety Instruction Guide

Introduction

Thank you for choosing the AR15/M16 USGI RANGER® FLOORPLATE 3 PACK. This product is designed to enhance your magazine handling experience while ensuring safety and functionality. Please read this safety instruction guide carefully to understand how to use, install, and dispose of this product safely.

General Safety Guidelines

- Always ensure that your firearm is unloaded before installing or handling the magazine.
- Keep the product out of reach of children and unauthorized users.
- Inspect the floorplate regularly for signs of wear or damage. Do not use if damaged.
- Use only with compatible 20 and 30round USGIstyle magazines.
- Be aware of your surroundings and ensure a safe environment when performing magazine changes.

Specific Safety Precautions for Use

- Avoid using the floorplate in extreme temperatures or conditions that may compromise its integrity.
- Do not modify the floorplate in any way, as this may lead to malfunction or safety hazards.
- When performing tactical reloads, ensure that your grip is secure to prevent dropping the magazine.
- If you experience any difficulty during installation or usage, cease use immediately and consult the installation instructions.

Instructions for Installation and Usage

1. Installation:

- Remove the existing factory floorplate from your magazine.
- Align the Rangerplate with the magazine and slide it onto the magazine body until it clicks into place.
- Ensure that the Rangerplate is firmly locked and secure before use.

2. Usage:

- To perform magazine changes, grasp the Rangerplate using the finger loop for a secure grip.
- Practice magazine changes in a safe environment to increase proficiency.
- After a tactical reload, use the finger loop to maintain control of the empty magazine.

Disposal Instructions

- Dispose of the floorplate in accordance with local regulations for synthetic materials.
- Do not incinerate or expose to extreme heat, as this may release harmful substances.
- If the floorplate is damaged beyond use, please recycle if possible, or dispose of it in a responsible manner.

Contact Information for Further Support

For any safety inquiries, product concerns, or to report unsafe conditions, please reach out to the designated EUbased contact point provided by your retailer.

Thank you for your attention to these important safety guidelines. Your safety is our priority, and we hope you

enjoy using the AR15/M16 USGI RANGER® FLOORPLATE.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at