

FULCRUM DROP-IN TRIGGER KITS FOR GLOCK® - ZEV TECHNOLOGIES COMPLETE TRIGGER KIT, .40 S&W/.357 SIG GEN 1-3

[Handgun Parts](#) > [Trigger Group Parts](#) > [Trigger Parts](#) > [Triggers](#)

Precise Letoff, Fast Rest, Fully-Adjustable For Takeup & Overtravel; Drop-In Installation

Convenient kits combine easy drop-in installation with the performance benefits of a custom trigger job to give your Glock® an ultra-smooth pull, clean letoff, and short reset without impairing the reliability of the factory safeties. Fully adjustable for pre-travel and over-travel via two easy-to-access hex-head screws (wrench included), so you can tune trigger feel to your exact requirements for maximum control. Trigger shoe and trigger safety are precision machined from 6061 T6 aluminum billet for precise engagement, smooth movement, and superb responsiveness. Engagement surfaces on the stainless steel trigger bar are mirror polished for outstanding sensitivity and consistency. Basic Fulcrum trigger includes preassembled trigger shoe, safety lever, and trigger bar. Complete Trigger Kit contains the trigger, trigger bar, trigger block, ejector, connector, trigger spring, and a lightweight stainless steel firing pin safety plunger and spring to further refine the trigger pull. Comes with a reduced-power striker spring to produce a lighter-feeling trigger for competition, and the factory-weight striker spring for daily carry and duty use.



Attributes

- Name: [ZEV TECHNOLOGIES COMPLETE TRIGGER KIT, .40 S&W/.357 SIG GEN 1-3](#)
- Manufacturer: [ZEV TECHNOLOGIES](#)
- Product no.: 100004112
- Mfr. No.: FUL-DRP-40-B-B
- Finish: Aluminum,Stainless Steel
- Model: 17,19,22,23,24,26,27,34,35
- Style: Adjustable,Drop-In
- Weapon type: Glock
- Delivery weight: 0.045kg
- Shipping height: 13mm
- Shipping width: 104mm
- Shipping length: 142mm
- UPC: 811745021119

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for FULCRUM DROPIN TRIGGER KITS FOR GLOCK® ZEV TECHNOLOGIES COMPLETE TRIGGER KIT, .40 S&W/.357 SIG GEN 13
- About Us

Safety Instruction Guide for FULCRUM DROPIN TRIGGER KITS FOR GLOCK® ZEV TECHNOLOGIES COMPLETE TRIGGER KIT, .40 S&W/.357 SIG GEN 13

Introduction

Thank you for choosing the FULCRUM DROPIN TRIGGER KITS FOR GLOCK® ZEV TECHNOLOGIES COMPLETE TRIGGER KIT. This guide is designed to provide you with essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this manual carefully before installation and use.

General Safety Guidelines

- Ensure that you are familiar with the operation of your Glock® firearm before installing the trigger kit.
- Always treat your firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Store the trigger kit and your firearm securely to prevent unauthorized access, especially from children.
- Regularly inspect your trigger kit for signs of wear or damage.
- Follow all local laws and regulations regarding firearm modifications and safety.

Specific Safety Precautions for Use

- Ensure that the trigger kit is compatible with your specific Glock® model (17, 19, 22, 23, 24, 34, 35, 26, 27).
- Do not attempt to use the trigger kit with firearms that are not specified in the product description.
- Avoid using the trigger kit with ammunition types that are not recommended for your Glock® model.
- Be cautious when adjusting the trigger settings; make incremental adjustments to avoid unintended discharges.
- Always perform a function check after installation to ensure proper operation.

Instructions for Installation and Usage

Installation Steps

1. **Safety First:** Ensure your firearm is unloaded. Remove the magazine and check the chamber.
2. **Disassemble the Firearm:** Follow the manufacturer's instructions to disassemble your Glock®.
3. **Remove the Existing Trigger:** Carefully detach the factory trigger, trigger bar, and associated components.
4. **Install the Fulcrum Trigger Kit:**
 - Place the preassembled trigger shoe, safety lever, and trigger bar into the frame.
 - Secure the components using the provided hexhead screws. Use the included wrench for tightening.
5. **Adjust Trigger Settings:**
 - Access the pretravel and overtravel adjustments using the hexhead screws.
 - Make small adjustments and test the trigger feel after each adjustment.
6. **Reassemble the Firearm:** Put your Glock® back together following the manufacturer's instructions.
7. **Function Check:** Perform a function check to ensure that the trigger operates correctly.

Usage Guidelines

- Always ensure your firearm is pointed in a safe direction before handling.
- Regularly clean and maintain your trigger kit as per the manufacturer's recommendations.

- Practice safe handling techniques when using your firearm.

Disposal Instructions

- Dispose of any packaging materials in accordance with local waste management regulations.
- If the trigger kit is no longer functional or safe to use, please dispose of it responsibly. Check with local authorities for proper disposal methods for firearm components.

Contact Information for Further Support

For any inquiries regarding safety or product support, please reach out to the designated contact points provided by your retailer or manufacturer. Always ensure you have the latest information regarding product safety and recalls.

Please remember that safety is paramount when handling firearms and associated components. Adhering to these guidelines will help ensure a safe and enjoyable experience with your FULCRUM DROPIN TRIGGER KITS FOR GLOCK®.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk