

AR-15/M16 GAS BLOCKS - SADLAK INDUSTRIES LOW-PROFILE, CLAMP, STEEL

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

Minimal Profile to Fit Under Handguard Or With Integral Accessory Rail

All of SADLAK's Gas Blocks are made in the USA by craftsmen with years of experience delivering consistent quality. All the bores are precision honed and all critical measurements are 100% inspected to insure consistency and quality. Available in a multitude of sizes and styles, Sadlak's Gas Blocks are a great option if you are building an AR or if you are just looking to upgrade. The Gas Blocks are available in .625", .750", .875", or .936". They also feature option such as Clamp-Style, Slip-On, Skeletonized, or Adjustable, and all attaching hardware is included. All Gas Blocks except for the Picatinny Rail Gas Block are Low-Profile. Finishes include Black Nitride or Manganese Phosphate. The Sadlak Gas Blocks Mounts securely to barrel with included setscrews. Clamp-on models squeeze around the barrel as you tighten the side-mounted setscrews. Slip-on models are anchored by setscrews on the underside. Low Profile fits under a free-float handguard and lets you use a longer on carbine-length barrels for a clean, streamlined look with more gripping surface. Extended Nose is like Low-Profile, but with an extended sleeve that covers taper pin holes left by the issue A2-style sight tower.



Attributes

- Name: [SADLAK INDUSTRIES LOW-PROFILE, CLAMP, STEEL](#)
- Manufacturer: [SADLAK INDUSTRIES](#)
- Product no.: 100005339
- Mfr. No.: GB-130
- Inside Diameter: .750
- Material: Steel
- Style: Low-Profile
- Weapon type: AR-15
- Delivery weight: 0.054kg
- Shipping height: 13mm
- Shipping width: 89mm
- Shipping length: 89mm

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for AR15/M16 Gas Blocks by Sadlak Industries
- About Us

Safety Instruction Guide for AR15/M16 Gas Blocks by Sadlak Industries

Introduction

Thank you for choosing the Sadlak Industries LowProfile, Clamp, Steel Gas Blocks for your AR15/M16 build. This guide provides essential safety instructions and usage information to ensure a safe and effective experience with your product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that all components are compatible with your firearm to prevent malfunctions or accidents.
- Always handle your firearm and its components with care, treating them as if they are loaded.
- Store all firearm parts, including gas blocks, in a secure location away from children and unauthorized users.
- Regularly inspect your gas block for signs of wear, damage, or corrosion before and after use.
- Dispose of any damaged components in accordance with local regulations.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, such as safety glasses and gloves, when handling or installing gas blocks.
- Ensure the firearm is unloaded and pointed in a safe direction before beginning any installation or maintenance work.
- Do not exceed the manufacturer's specifications for the gas block, including size and pressure limits.
- Be aware of your surroundings and ensure that no one is in close proximity when testing your firearm after installation.
- If you notice any unusual sounds or performance issues when using your firearm, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

Installation Instructions

1. **Gather Tools and Materials:** Ensure you have the necessary tools, including a torque wrench, Allen wrenches, and any specific tools required for your firearm.
2. **Prepare the Firearm:**
 - Ensure that the firearm is unloaded.
 - Remove the existing gas block if applicable.
3. **Inspect the Barrel:** Check the barrel for any obstructions or damage before installing the new gas block.
4. **Install the Gas Block:**
 - Position the gas block over the gas port on the barrel.
 - For ClampStyle models, tighten the sidemounted setscrews evenly to secure the gas block.
 - For SlipOn models, position the gas block and secure it with the setscrews on the underside.
5. **Check Alignment:** Ensure that the gas block is aligned properly with the gas port and is securely fastened.
6. **Reassemble the Firearm:** Once the gas block is installed, reassemble your firearm according to the manufacturer's instructions.

Usage Instructions

- Before using your firearm, perform a function check to ensure that the gas block is working correctly.
- Follow all local laws and regulations regarding the use of firearms.
- Regularly clean and maintain your gas block to ensure optimal performance.

Disposal Instructions

- Dispose of any damaged or worn gas blocks in accordance with local waste disposal regulations.
- Do not dispose of components in regular household waste if they contain hazardous materials.

Contact Information for Further Support

For any questions or concerns regarding the installation, usage, or safety of your Sadlak Industries Gas Blocks, please refer to the manufacturer's website or customer support channels for assistance.

Thank you for your attention to these safety guidelines. Following these instructions will help ensure a safe and enjoyable experience with your AR15/M16 Gas Blocks.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk