

S&W M&P REAR SIGHT TOOL - TALON TACTICAL REAR SIGHT TOOL

[Gunsmith Tools](#) > [Handgun Tools](#) > [Sight Tools](#)

Retains Striker Spring For Easy Sight Installation

Slides into the dovetail and holds the striker plunger spring and cap in place for hassle-free rear sight installation. Speeds the job and lessens the risk of losing the spring or cap. Tough polymer tip resists wear, plus won't mar the slide or sight finish. Contoured for easy, non-slip grasp between thumb and finger.



Attributes

- Name: [TALON TACTICAL REAR SIGHT TOOL](#)
- Manufacturer: [TALON TACTICAL](#)
- Product no.: 100005388
- Mfr. No.: NONE
- Model: M&P
- Weapon type: Smith & Wesson
- Delivery weight: 0.045kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- S&W M&P Rear Sight Tool Safety Instruction Guide
- About Us

S&W M&P Rear Sight Tool Safety Instruction Guide

Introduction

Thank you for choosing the S&W M&P Rear Sight Tool by TALON TACTICAL. This guide provides important safety information and instructions to ensure the safe and effective use of the product. Please read this guide carefully before using the tool.

General Safety Guidelines

- Ensure that the tool is used only for its intended purpose, which is to assist in the installation of rear sights on Smith & Wesson M&P semiautos.
- Keep the tool out of reach of children and vulnerable individuals to prevent accidents.
- Inspect the tool before use. Do not use if there are any signs of damage or wear.
- Always work in a welllit area to ensure visibility while using the tool.
- When using the tool, wear appropriate safety gear, such as safety glasses, to protect your eyes from potential debris.

Specific Safety Precautions for Use

- Do not force the tool into the dovetail; ensure it fits properly to avoid damage to the slide or sight.
- Be cautious when handling the striker plunger spring and cap, as they may spring out unexpectedly.
- Avoid contact with the polymer tip on sharp objects to prevent wear and damage.
- Ensure that the firearm is unloaded and pointed in a safe direction before attempting to install or adjust the rear sight.
- Do not attempt to modify the tool in any way, as this may compromise its safety and effectiveness.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and safe to work on.
- Gather necessary tools, including the S&W M&P Rear Sight Tool and any additional tools required for your specific rear sight.

2. Using the Rear Sight Tool:

- Slide the tool into the dovetail of the rear sight.
- Gently press down to hold the striker plunger spring and cap in place.
- Align the rear sight according to your preference and manufacturer instructions.
- Carefully remove the tool while ensuring the spring and cap remain in place.

3. Final Checks:

- After installation, check that the rear sight is securely in place.
- Perform a function check on the firearm to ensure everything operates correctly.

Disposal Instructions

- Dispose of the tool in accordance with local regulations.
- Do not dispose of the tool in household waste. Check for recycling options or designated disposal sites for plastic materials.

Contact Information for Further Support

For safety inquiries or further assistance regarding the S&W M&P Rear Sight Tool, please reach out to your local authorized dealer or the manufacturer's customer service.

Conclusion

By following these safety guidelines and instructions, you can ensure a safe and effective experience with the S&W M&P Rear Sight Tool. Always prioritize safety and consult a professional if you have any uncertainties regarding the installation or use of the tool. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk