

RUGER® 10/22® TRIMAG™ POUCH - ALANGATOR. TRIMAG POUCH

[Shooting Accessories](#) > [Range Gear](#) > [Magazine Storage Pouches](#)

Nylon mag pouch holds three factory 10/22 magazines clamped together by an Alangator TriMag coupler. Built with double-walled sides, double-stitched seams, and plastic inserts to hold its shape when inserting the TriMag pack. Oversized pull tab gives a secure grasp for easy opening of flap. Indexing slot ensures proper positioning of mag and coupler assembly during insertion. Snap-closure belt loop for easy mounting on belts up to 2¼" wide. Get the Ruger 10/22 Trimag Coupler.



Attributes

- Name: [ALANGATOR. TRIMAG POUCH](#)
- Manufacturer: [ALANGATOR.](#)
- Product no.: 100005705
- Mfr. No.: NONE
- Colour: Black
- Material: Nylon
- Style: Ammo Carrier
- Delivery weight: 0.045kg
- Shipping height: 58mm
- Shipping width: 132mm
- Shipping length: 132mm
- UPC: 736211949011

Item details

Made in USA

Table of Contents

- Startpage
- RUGER® 10/22® TRIMAG™ POUCH ALANGATOR Safety Instructions
- About Us

RUGER® 10/22® TRIMAG™ POUCH ALANGATOR Safety Instructions

Introduction

Thank you for choosing the RUGER® 10/22® TRIMAG™ POUCH ALANGATOR. This product is designed to securely hold three factory 10/22 magazines, ensuring ease of access during use. Please read this safety instruction guide carefully to ensure safe handling and operation of the product in compliance with EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always use the pouch as intended for holding Ruger 10/22 magazines.
- Inspect the pouch regularly for any signs of wear or damage. Do not use if compromised.
- Keep the pouch out of reach of children when not in use.
- Ensure that the pouch is properly secured to your belt before use to prevent accidental detachment.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Do not overload the pouch beyond its designed capacity of three magazines.
- Avoid exposing the pouch to extreme temperatures or harsh chemicals, as this may degrade the material.
- Use the oversized pull tab gently to avoid tearing or damaging the pouch.
- Ensure that the indexing slot is properly aligned when inserting the magazine and coupler assembly to prevent jams or misalignment.
- Always store the pouch in a dry place to prevent mold or mildew.

Instructions for Installation and Usage

1. Installation:

- Locate the snapclosure belt loop on the pouch.
- Open the snapclosure and slide the belt through the loop.
- Secure the snapclosure back to ensure the pouch is firmly attached to the belt.

2. Using the Pouch:

- To insert magazines, align the magazines with the indexing slot on the pouch.
- Gently press the magazine and coupler assembly into the pouch until it is fully seated.
- To access the magazines, grasp the oversized pull tab and lift the flap carefully.
- Ensure that magazines are securely held in place before moving.

Disposal Instructions

- Dispose of the pouch responsibly. If the pouch is no longer usable, consider recycling it if local regulations allow.
- Do not burn the pouch, as it may release harmful substances.

Contact Information for Further Support

For any questions or concerns regarding the RUGER® 10/22® TRIMAG™ POUCH ALANGATOR, please refer to

the manufacturer's website or contact your local retailer. Ensure you have the product details ready for efficient assistance.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk