

AR-15 RAPID TRANSITION SIGHT SET - DUECK DEFENSE AR-15 OFFSET RAPID TRANSITION SIGHT SET BLACK

[Rifle Parts](#) > [Sights](#) > [Sight Sets](#)

Permanently Mounted At 45/ Offset For Instant Shift From Primary Optic To Backup Sights

Machined aluminum backup sights mount at a 45° offset angle to enable instant transition from primary optic simply by tilting the rifle. Rear sight mounts on receiver rail, front sight on handguard top rail. Mounts on right side of receiver for right hand shooters, and eliminates the need to co-witness backup sights through your optic. Provides the same bore height and sight picture as standard USGI A2 sights. A2-style rear sight has flip-up long- and short-range apertures, and is adjustable for windage and elevation in $\frac{1}{2}$ MOA clicks. Locking bar and crossbolt attachment system clamps securely to MIL-STD 1913 Picatinny rails and sits only .20" above the rail, so there's no interference with the main sighting system. Front sight base won't interfere with the beam path of military IR laser/illuminators. No special tools needed; installs using a slot tip screwdriver. Available in left hand for left hand shooters by special order.



Attributes

- Name: [DUECK DEFENSE AR-15 OFFSET RAPID TRANSITION SIGHT SET BLACK](#)
- Manufacturer: [DUECK DEFENSE](#)
- Product no.: 100006162
- Mfr. No.: RTS-SET
- Colour: Black
- Style: Offset
- Weapon type: AR-15
- Delivery weight: 0.136kg
- Shipping height: 25mm
- Shipping width: 117mm
- Shipping length: 160mm

Item details

Made in USA

Table of Contents

- Startpage
- AR15 RAPID TRANSITION SIGHT SET Safety Instruction Guide
- About Us

AR15 RAPID TRANSITION SIGHT SET Safety Instruction Guide

Introduction

Thank you for purchasing the AR15 RAPID TRANSITION SIGHT SET from DUECK DEFENSE. This product is designed to enhance your shooting experience by allowing for a quick and efficient transition between your primary optic and backup sights. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always treat firearms and firearm accessories with respect and caution.
- Ensure that the firearm is unloaded when installing or adjusting sights.
- Familiarize yourself with the operation of your firearm and the sight system before use.
- Use the sight set only with firearms for which it is designed.
- Store the sight set in a safe and secure location, away from children and unauthorized users.
- Regularly inspect the sight set for any signs of wear or damage.
- If you encounter any issues or have concerns about the product, cease use immediately and seek assistance.

Specific Safety Precautions for Use

- Ensure that the sight set is securely mounted to prevent any movement during use.
- Do not attempt to adjust the sights while aiming at a target.
- Be aware of your surroundings and ensure that you are in a safe shooting environment.
- Always wear appropriate eye and ear protection when using firearms.
- If you are a lefthanded shooter, ensure you order the lefthand version of the sight set to ensure proper fit and function.
- The sight set is designed to be used by adults; keep out of reach of children.

Instructions for Installation and Usage

Installation

1. Tools Required:

- Slot tip screwdriver (no special tools needed).

2. Mounting the Rear Sight:

- Locate the receiver rail on your AR15.
- Position the rear sight at the desired location on the rail.
- Secure the rear sight using the locking bar and crossbolt attachment system, ensuring it is clamped securely.

3. Mounting the Front Sight:

- Locate the handguard top rail on your AR15.
- Position the front sight at the desired location on the rail.
- Secure the front sight using the same attachment system as the rear sight.

4. Final Checks:

- Ensure both sights are securely fastened and do not move when pressure is applied.
- Confirm that the sights are positioned at a 45° offset angle for optimal use.

Usage

- To transition from your primary optic to the backup sights, simply tilt the rifle to engage the sights.
- Adjust the rear sight for windage and elevation using the provided ½ MOA click adjustments.
- Utilize the flipup apertures for longrange and shortrange targeting as needed.

Disposal Instructions

- Dispose of the sight set in accordance with local regulations.
- If the product is damaged or no longer usable, recycle materials where possible.
- Do not dispose of the sight set in regular household waste.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please refer to the manufacturer's contact points. Ensure you have the product information available for reference.

By following these safety instructions, you can ensure a safe and enjoyable experience with your AR15 RAPID TRANSITION SIGHT SET. Always prioritize safety and responsible firearm handling practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk