

# RSA™ RAIL SLING ATTACHMENT - MAGPUL RSA PICATINNY RAIL SLING ATTACHMENT BLACK

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Tactical Sling Mounts](#)

## Clamp-On Loop Lets You Attach Your Sling Where You Need It

Low-profile sling loop clamps to any MIL-STD 1913 Picatinny or STANAG 4694 handguard rail to provide a secure forward attachment point for the Magpul MS2 or similar clip-on sling. Can be installed on left or right side of top rail, or side or bottom rails for multiple alternate sling configurations. Loop is angled to resist snagging on other gear. Rugged, all-steel construction withstands up to 300 pounds of stress pressure, so it won't fail under hard use.



## Attributes

- Name: [MAGPUL RSA PICATINNY RAIL SLING ATTACHMENT BLACK](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100006197
- Mfr. No.: MAG502-BLK
- Colour: Black
- Delivery weight: 0.054kg
- Shipping height: 25mm
- Shipping width: 25mm
- Shipping length: 165mm
- UPC: 873750005249

## Item details

Made in USA

# Table of Contents

- Startpage
- RSA™ RAIL SLING ATTACHMENT SAFETY INSTRUCTIONS
- About Us

# RSA™ RAIL SLING ATTACHMENT SAFETY INSTRUCTIONS

## Introduction

Thank you for choosing the RSA™ Rail Sling Attachment by Magpul. This product is designed to provide a secure attachment point for your sling, enhancing your tactical setup. To ensure your safety and the proper functioning of the product, please read and follow these safety instructions carefully.

## General Safety Guidelines

- Always inspect the sling attachment before use to ensure it is free from damage or defects.
- Ensure the attachment is compatible with your specific rail system (MILSTD 1913 Picatinny or STANAG 4694).
- Keep the product out of reach of children and vulnerable individuals.
- Do not exceed the maximum load capacity of 300 pounds (136 kg).
- Report any unsafe conditions or incidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Do not use the sling attachment for any purpose other than its intended use.
- Avoid using the attachment in extreme weather conditions or environments that may compromise its integrity.
- Ensure that the sling is securely attached to the loop before use.
- Be cautious of loose gear that may snag on the sling attachment during use.
- Regularly check for wear and tear, especially if the product is frequently used.

## Instructions for Installation and Usage

### Installation

1. **Select the Rail Position:** Choose the desired position on your rail (top, side, or bottom) for optimal use.
2. **Align the Attachment:** Position the sling loop over the rail, ensuring it is aligned with the slots.
3. **Secure the Attachment:** Tighten the attachment securely to prevent movement. Ensure it is clamped firmly to the rail.
4. **Check the Angle:** Ensure the loop is angled to resist snagging on other gear.

### Usage

- Always ensure the sling is properly attached to your firearm and the loop before engaging in any activity.
- Adjust the sling length as needed for comfort and functionality.
- Regularly inspect the attachment during use to ensure it remains secure.

## Disposal Instructions

- Dispose of the RSA™ Rail Sling Attachment in accordance with local regulations.
- Do not dispose of the product in regular household waste if it is damaged or defective.
- Consider recycling materials where possible to minimize environmental impact.

## Contact Information for Further Support

For further assistance or inquiries regarding safety, please refer to the product packaging or visit the manufacturer's website for more information. Ensure that you have the product details available when seeking

support.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.  
Enjoy using your RSA™ Rail Sling Attachment.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)