

AR-15 FLIP-UP MBUS GEN 2 FRONT SIGHT - MAGPUL MBUS FRONT SIGHT FLIP-UP POLYMER FOR AR-15 ODG

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Low-profile, flattop-mounted, polymer sights deploy instantly at the touch of a finger to provide backup sighting if a primary optic fails. Streamlined contours mean there's nothing to snag on brush, sling, or other gear when folded.

Spring-loaded ambidextrous release mechanism lets you hit the grooved tab on either side of the sight to deploy, and lock it in place. Hitting the same tabs retract the sight when you're done. Uses less than 1" of MIL-STD 1913

Picatinny receiver rail space and locks securely in place with the included steel crossbolt. Provides the same height over bore as standard A2 iron sights.

Front sight must be mounted on a railed forend on the same plane as the receiver rail to witness correctly with rear sight. Not compatible with railed gas blocks or the MOE handguard.



Attributes

- Name: [MAGPUL MBUS FRONT SIGHT FLIP-UP POLYMER FOR AR-15 ODG](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100006793
- Mfr. No.: MAG247-ODG
- Colour: O.D. Green
- Height: 1.5
- Material: Polymer
- Style: Flip-Up
- Weapon type: AR-15
- Delivery weight: 0.054kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 165mm
- UPC: 873750004334

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 FLIPUP MBUS GEN 2 FRONT SIGHT
- About Us

Safety Instruction Guide for AR15 FLIPUP MBUS GEN 2 FRONT SIGHT

Introduction

Thank you for choosing the AR15 FLIPUP MBUS GEN 2 FRONT SIGHT by MAGPUL. This guide provides essential safety information and instructions to ensure the safe and effective use of your new front sight. Please read this manual carefully before installation and use.

General Safety Guidelines

- Ensure safe handling of the product at all times.
- Always treat the front sight as if it is loaded and ready to fire.
- Keep the sight and all accessories out of reach of children and unauthorized users.
- Regularly inspect the sight for any signs of wear or damage.
- Do not use the sight if it appears damaged or malfunctioning.
- Follow all local laws and regulations regarding firearm accessories.
- Report any unsafe products or incidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure the sight is properly mounted before use.
- Do not attempt to adjust the sight while the firearm is loaded.
- Use the sight only for its intended purpose as a backup sighting system.
- Avoid striking or dropping the sight to prevent damage.
- Do not use the sight in extreme environmental conditions without proper precautions.
- Be aware of your surroundings and ensure a safe shooting environment.

Instructions for Installation and Usage

Installation

1. Preparation

- Ensure the firearm is unloaded before installation.
- Gather necessary tools (e.g., screwdriver) for installation.

2. Mounting the Sight

- Locate the railed forend on your AR15 where the sight will be mounted.
- Ensure the mounting point is on the same plane as the receiver rail.
- Position the front sight on the rail, ensuring it uses less than 1" of MILSTD 1913 Picatinny receiver rail space.
- Secure the sight in place using the included steel crossbolt.

3. Deployment

- To deploy the sight, press the ambidextrous release mechanism by hitting the grooved tab on either side.
- Ensure the sight locks securely in place once deployed.

4. Retraction

- When finished using the sight, hit the same tabs to retract the sight back into the folded position.

Usage

- Use the front sight as a backup to your primary optic.
- Ensure alignment with your rear sight for accurate aiming.
- Be mindful of the sight's height over bore, which matches standard A2 iron sights.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the sight in regular household waste.
- Contact local waste management authorities for proper disposal methods of polymer materials.

Contact Information for Further Support

For any inquiries or concerns regarding the AR15 FLIPUP MBUS GEN 2 FRONT SIGHT, please reach out to your local retailer or manufacturer's support team. Ensure you have the product details available for assistance.

Thank you for your attention to these safety instructions. Enjoy the enhanced performance and reliability of your AR15 FLIPUP MBUS GEN 2 FRONT SIGHT. Stay safe and responsible.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk