

1911 BO-MAR REAR NIGHT SIGHTS - HARRISON DESIGN & CONSULTING BO-MAR-CUT REAR SIGHT, 2-DOT TRITIUM

[Handgun Parts](#) > [Sights](#) > [Rear Sights](#)

Rugged, solid steel fixed rear sight fits the standard Bo-Mar BMCS slide cut, perfect for converting an existing adjustable-sight 1911 to a tactical or self-defense configuration. Fully radiused edges and corners help eliminate snagging during draw from concealment, and front of blade is squared off to aid one-handed slide racking to clear jams. Deep, .135" wide notch produces a clear sight picture with more light around the front blade for faster target acquisition. Fine, 50 lpi horizontal serrations on blade rear face eliminate glare and the distorting effects of uneven ambient light. Precision machined from steel bar stock, unique two-piece design has separate base that allows mounting in both standard open BMCS cut and the "Deluxe" pocket cut. Two hardened steel screws and a hidden lug join the body to the base to ensure a rock-solid installation that will not shoot loose, even under hard use. Drift adjustable .030" left or right for windage, allowing correction of approximately 3" of error at 20 yards. Installed height is same as many popular aftermarket rear sights, so you may not need to replace your pistol's front sight. Available with 1 or 2 Dot Tritium night sight configuration. Gunsmith installation recommended.



Attributes

- Name: [HARRISON DESIGN & CONSULTING BO-MAR-CUT REAR SIGHT, 2-DOT TRITIUM](#)
- Manufacturer: [HARRISON DESIGN & CONSULTING](#)
- Product no.: 100007481
- Mfr. No.: HD-006-S-T2
- Model: Commander, Government, Officers
- Sight Color: Green
- Style: 2-Dot, Wide-Notch
- Weapon type: 1911
- Delivery weight: 0.036kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 BOMAR Rear Night Sights
- About Us

Safety Instruction Guide for 1911 BOMAR Rear Night Sights

Introduction

Thank you for choosing the 1911 BOMAR Rear Night Sights by Harrison Design & Consulting. This guide provides essential safety instructions and information to ensure the safe use and installation of your new sight. Please read this guide carefully before use.

General Safety Guidelines

To ensure your safety and the safety of others, please follow these general guidelines:

- Always handle firearms with care and treat every gun as if it is loaded.
- Ensure the firearm is pointed in a safe direction during installation and use.
- Store firearms and ammunition securely and out of reach of children and unauthorized users.
- Always wear appropriate eye and ear protection when handling firearms.
- Be aware of your surroundings and ensure a clear line of sight before firing.
- Regularly inspect your firearm and its components for signs of wear or damage.
- Report any unsafe products or accidents to the relevant authorities.
- Stay updated on recall notices via the EU's Safety Gate platform.

Specific Safety Precautions for Use

When using the 1911 BOMAR Rear Night Sights, please observe the following precautions:

- Ensure that the sight is compatible with your specific 1911 model (Government, Commander, Officers).
- Do not attempt to modify the sight or firearm beyond the recommended installation procedures.
- Be cautious when adjusting the sight for windage; ensure the firearm is unloaded during this process.
- Ensure that the sight is securely installed before use to prevent any accidents.
- Avoid using the firearm in conditions that may impair visibility or create unsafe shooting environments.
- If you experience any issues with the sight, do not use the firearm until it has been inspected by a qualified gunsmith.

Instructions for Installation and Usage

Follow these instructions carefully to install and use your 1911 BOMAR Rear Night Sights:

1. Preparation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a screwdriver and any other required installation tools.

2. Installation:

- Remove the existing rear sight from your 1911 by loosening the screws that hold it in place.
- Align the new BOMAR Rear Night Sight with the existing slide cut.
- Use the provided hardened steel screws to secure the sight to the base.
- Ensure that the sight is firmly attached and does not move.
- Adjust the sight for windage by drifting it .030" left or right as needed.

3. Testing:

- Once installed, visually inspect the sight to ensure it is properly aligned.

- Conduct a function check of the firearm to ensure safe operation.

4. Usage:

- When using the sight, maintain a proper shooting stance and grip.
- Focus on the front blade for accurate target acquisition.
- Practice regularly to become familiar with the sight's performance.

Disposal Instructions

When disposing of the 1911 BOMAR Rear Night Sights, please follow these guidelines:

- Dispose of the sight in accordance with local regulations regarding metal and electronic waste.
- Ensure that any components that may contain tritium are disposed of in a safe and environmentally responsible manner.
- Do not throw the sight in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the 1911 BOMAR Rear Night Sights, please consult a qualified gunsmith or contact the manufacturer directly.

Thank you for your attention to these safety instructions. Your safety and the safety of others is our top priority. Enjoy your new sights responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk