

AR-15 MOE RIFLE STOCK FIXED RIFLE LENGTH - MAGPUL MOE FIXED RIFLE LENGTH STOCK FOR AR-15 FDE

[Rifle Parts](#) > [Stock Parts](#) > [Buttstocks](#)

Drop-In Upgrade For A1/A2 Rifles Or Conversion From A Carbine Stock

Direct replacement for A1- or A2-type stocks brings MOE ergonomics and versatility to your fixed-stock rifle. Sloping comb provides a comfortable, secure cheekweld, while keeping the stock's overall profile slim. Rubberized recoil pad keeps the rifle firmly and comfortably against the shoulder. Hinged buttplate opens to reveal a spacious compartment for internal storage of small items. Integral sling loop accepts a 1¼" sling. Also includes front and rear attachment points on both sides for the Type 1 Sling Mount Kit to enable use of slings with pushbutton QD swivels. Two bosses on underside may be knocked out for attachment of a MOE accessory rail (available separately). Accepts Magpul PRS extended recoil pads.



Attributes

- Name: [MAGPUL MOE FIXED RIFLE LENGTH STOCK FOR AR-15 FDE](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100009586
- Mfr. No.: MAG404-FDE
- Colour: Flat Dark Earth
- Material: Polymer
- Style: Fixed
- Type: Rifle Length
- Weapon type: AR-15
- Delivery weight: 0.544kg
- Shipping height: 57mm
- Shipping width: 152mm
- Shipping length: 292mm
- UPC: 873750006161

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- AR15 MOE Rifle Stock Safety Instructions
- About Us

AR15 MOE Rifle Stock Safety Instructions

Introduction

Thank you for choosing the AR15 MOE Rifle Stock. This manual provides essential safety instructions and guidelines to ensure the safe use and handling of your product. Please read and understand all information before using the rifle stock.

General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Ensure that the rifle stock is properly installed before use.
- Regularly inspect the rifle stock for any signs of damage or wear.
- Store the rifle and stock in a secure location, away from unauthorized users, especially children.
- Follow all local laws and regulations regarding firearm ownership and usage.
- Use only compatible accessories and components designed for the AR15 platform.

Specific Safety Precautions for Use

- **Installation Safety:** Ensure the rifle is unloaded before installing the stock.
- **Cheekweld:** Maintain a proper cheekweld to avoid injury during recoil.
- **Storage Compartment:** Do not overload the internal storage compartment. Keep it closed during use.
- **Sling Attachment:** Ensure slings are securely attached to avoid accidental detachment during use.
- **Recoil Pad:** Always ensure the rubberized recoil pad is in good condition to provide comfort and stability.

Instructions for Installation and Usage

1. Installation:

- Ensure the rifle is on a stable surface and unloaded.
- Remove the existing stock from the rifle by loosening the receiver extension tube.
- Align the AR15 MOE Rifle Stock with the receiver extension tube and slide it into place.
- Secure the stock by tightening the locking mechanism according to the manufacturer's specifications.
- Check the installation by gently pulling on the stock to ensure it is firmly attached.

2. Usage:

- Always maintain a firm grip on the rifle when aiming and firing.
- Adjust your cheekweld for comfort and accuracy.
- Use the integral sling loop to attach your sling securely.
- After use, clean the stock and check for any signs of damage.

Disposal Instructions

- Dispose of the rifle stock in accordance with local regulations regarding polymer materials.
- Do not incinerate or expose the stock to extreme heat, as this may release harmful substances.

Contact Information for Further Support

For any safety inquiries or concerns regarding the AR15 MOE Rifle Stock, please consult your retailer or the manufacturer directly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk