

MICRO FLUSH QUICK DETACH SLING MOUNT - Impact Weapons Components MICRO FLUSH QD SLING MOUNT

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Tactical Sling Mounts](#)

Features & Benefits: Accepts any push-button Quick Detach sling swivel 8 position rotation limited to prevent sling wrap-up 95% lower profile than a separate Sling Mount and Picatinny Mil-Spec 1913 Rail Section, the ergonomic, flush mount design eliminates all sharp edges that can ensnarl the operator's gear. Designed to fit precisely through any vent hole in the Troy Industries TRX Extreme and Alpha Battle Rails with no modifications. Can be mounted through a single $\frac{1}{2}$ " diameter hole in most polymer stocks, handguards, forends, and buttstocks measuring up to .230" in thickness, including M.O.E. Handguards by Magpul Industries. Once inserted through the hole in the handguard, forend, stock, or buttstock, the mount is retained by a "Spirolock" on the outside assisted by a pair of setscrews from the inside to prevent the mount from rotating. This patent pending design places all the slinging stresses in compression against the inside mounting surface instead of in tension on the thread of fasteners. Weighing just .243 ounces, the ultra-lightweight design CNC machined from Billet 303 Stainless Steel eliminates all unnecessary material and fasteners. Finished in Black Oxide to prevent rust, wear, and corrosion.



Attributes

- Name: [Impact Weapons Components MICRO FLUSH QD SLING MOUNT](#)
- Manufacturer: [Impact Weapons Components](#)
- Product no.: 100009719
- Mfr. No.: SQDRLMM
- Colour: Black
- Delivery weight: 0.068kg
- Shipping width: 102mm
- Shipping length: 178mm
- UPC: 850962003409

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MICRO FLUSH QUICK DETACH SLING MOUNT
- About Us

Safety Instruction Guide for MICRO FLUSH QUICK DETACH SLING MOUNT

Introduction

Thank you for choosing the MICRO FLUSH QUICK DETACH SLING MOUNT by IMPACT WEAPONS COMPONENTS. This guide provides essential safety instructions and information to ensure the safe and effective use of this product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always inspect the sling mount before each use for any signs of wear or damage.
- Keep the sling mount out of reach of children and vulnerable individuals.
- Report any accidents or unsafe conditions to the appropriate authorities.
- Stay informed about any product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not exceed the weight limit or load capacity specified for the sling mount.
- Ensure that the sling swivel is securely attached before use.
- Avoid using the sling mount in extreme conditions that may compromise its integrity.
- Be cautious of sharp edges during installation and handling.
- Always ensure the mount is securely installed to prevent accidental detachment during use.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools for installation, including a screwdriver.
- Ensure that the installation area is clean and free of obstructions.

2. Installation Steps

- Identify the location on your firearm or accessory where the sling mount will be installed.
- If applicable, ensure that the vent hole in the Troy Industries TRX Extreme or Alpha Battle Rail is free of debris.
- For polymer stocks, handguards, or buttstocks, ensure the thickness does not exceed .230 inches.
- Insert the sling mount through the $\frac{1}{2}$ " diameter hole.
- Secure the mount using the "Spiralock" on the outside and tighten the setscrews from the inside to prevent rotation.

3. Usage Instructions

- Attach your pushbutton Quick Detach sling swivel to the mount.
- Adjust the rotation position as needed, ensuring it is limited to 8 positions to prevent sling wrapup.
- Regularly check the attachment points to ensure they remain secure during use.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding metal and plastic waste.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the MICRO FLUSH QUICK DETACH SLING MOUNT, please refer to the contact information provided by your retailer or visit the manufacturer's website for support resources.

By following these safety instructions, you can ensure the proper use and longevity of the MICRO FLUSH QUICK DETACH SLING MOUNT. Thank you for prioritizing safety in your usage of our product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk