

2 CAVITY PISTOL BULLET MOLDS - LEE PRECISION 44 CALIBER (0.429") 240GR SEMI-WADCUTTER MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Handgun Moulds](#)

All molds for pistol calibers are double cavity to speed casting. All Lee mould blocks are made from aluminum because of the exceptional moulding qualities. The mould cavities are CNC machined for unmatched roundness and size control. Most bullets from Lee moulds can be used as cast without sizing. Handles and sprue plate are included.



Attributes

- Name: [LEE PRECISION 44 CALIBER \(0.429"\) 240GR SEMI-WADCUTTER MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100010162
- Mfr. No.: 90338
- Bullet Style: Semi-Wadcutter (SWC)
- Bullet Weight (Grains): 240
- Caliber: 44 Caliber
- Cavities: 2
- Diameter (in): 0.429
- Delivery weight: 0.363kg
- Shipping height: 51mm
- Shipping width: 71mm
- Shipping length: 272mm
- UPC: 734307903381

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 2 Cavity Pistol Bullet Molds](#)
- [About Us](#)

Safety Instruction Guide for 2 Cavity Pistol Bullet Molds

Introduction

Thank you for choosing the 2 Cavity Pistol Bullet Molds by Lee Precision. This guide provides essential safety instructions and guidelines to ensure the safe use of this product. Please read this document carefully before use.

General Safety Guidelines

- Ensure you read and understand all safety instructions before using the bullet molds.
- Keep the product out of reach of children and vulnerable individuals.
- Use the molds only for their intended purpose.
- Regularly inspect the molds for any signs of damage or wear.
- Follow all local laws and regulations regarding the use of bullet molds and reloading.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE), including safety glasses and heatresistant gloves, when using the molds.
- Handle molten lead with extreme caution to avoid burns or other injuries.
- Ensure your workspace is wellventilated to avoid inhaling any fumes produced during the casting process.
- Never leave molten lead unattended.
- Keep flammable materials away from your workspace.
- Allow the molds to cool completely before handling them after use.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary materials, including lead, a heat source, and the bullet molds.
- Ensure your workspace is clean and organized.

2. Heating the Molds:

- Preheat the molds to the appropriate temperature before pouring molten lead. This helps to improve the quality of the bullets.
- Use a thermometer to monitor the temperature if available.

3. Pouring the Lead:

- Carefully pour the molten lead into the mold cavities. Avoid overfilling to prevent spillage.
- Allow the lead to cool and solidify in the molds.

4. Removing the Bullets:

- Once the lead has cooled, carefully open the molds to remove the bullets.
- Use caution to avoid damaging the bullets or the molds.

5. Cleaning and Maintenance:

- Clean the molds after each use to prevent buildup of lead and ensure longevity.
- Store the molds in a dry place to avoid corrosion.

Disposal Instructions

- Dispose of any lead waste according to local regulations. Do not dispose of lead in regular trash.
- Use designated recycling or disposal facilities for hazardous materials.

Contact Information for Further Support

For any safety inquiries or further assistance, please refer to the manufacturer's contact information provided with your product packaging. Always ensure you have the latest updates regarding product safety and recalls.

By following these guidelines, you can ensure a safe and effective experience when using your 2 Cavity Pistol Bullet Molds. Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk