

2 CAVITY PISTOL BULLET MOLDS - LEE PRECISION 45 CALIBER (0.452") 200GR SEMI-WADCUTTER MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Handgun Moulds](#)

All molds for pistol calibers are double cavity to speed casting. All Lee mould blocks are made from aluminum because of the exceptional moulding qualities. The mould cavities are CNC machined for unmatched roundness and size control. Most bullets from Lee moulds can be used as cast without sizing. Handles and sprue plate are included.



Attributes

- Name: [LEE PRECISION 45 CALIBER \(0.452"\) 200GR SEMI-WADCUTTER MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100010163
- Mfr. No.: 90348
- Bullet Style: Semi-Wadcutter (SWC)
- Bullet Weight (Grains): 200
- Caliber: 45 Caliber
- Cavities: 2
- Diameter (in): 0.452
- Delivery weight: 0.34kg
- Shipping height: 52mm
- Shipping width: 66mm
- Shipping length: 272mm
- UPC: 734307903480

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 2 Cavity Pistol Bullet Molds](#)
- [About Us](#)

Safety Instruction Guide for 2 Cavity Pistol Bullet Molds

Introduction

Thank you for purchasing the 2 Cavity Pistol Bullet Molds by Lee Precision. This guide provides essential safety information and instructions for the safe use, installation, and disposal of the product. Please read this guide carefully to ensure safe operation and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as a bullet mold for casting bullets.
- Always wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when using the product.
- Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- Inspect the product regularly for any signs of wear or damage before use.
- Follow all local laws and regulations regarding the use and manufacture of ammunition.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- **Hazard Identification:**
 - Hot surfaces: The mold will become very hot during use. Handle with care to prevent burns.
 - Sharp edges: Take care when handling the mold to avoid cuts or injuries from sharp edges.
 - Heavy weight: The mold may be heavy; use proper lifting techniques to avoid strain or injury.
- **Avoiding Hazards:**
 - Always use the mold in a wellventilated area to avoid inhaling fumes from molten lead.
 - Do not leave the mold unattended while in use.
 - Ensure that the mold is securely placed on a stable surface during operation.
 - Allow the mold to cool completely before handling or cleaning.

Instructions for Installation and Usage

- **Installation:**
 1. Ensure that the casting area is clean and free from any obstructions.
 2. Set up your casting equipment according to the manufacturer's instructions.
 3. Attach the mold to the casting platform or bench using the appropriate fasteners.
- **Usage:**
 1. Preheat the mold according to the manufacturer's guidelines to ensure optimal casting results.
 2. Melt the lead in a suitable melting pot, following all safety precautions for handling molten lead.
 3. Pour the molten lead into the mold cavities, ensuring that they are filled completely.
 4. Allow the lead to cool and solidify before removing the bullets from the mold.
 5. Use the included sprue plate to cut off any excess lead from the sprue.
 6. Clean the mold after each use to maintain its condition and performance.

Disposal Instructions

- Dispose of any excess lead or scrap material in accordance with local regulations for hazardous waste.
- Do not dispose of the product in regular household waste. Check with local waste management authorities for proper disposal methods.
- If the product is no longer usable, consider recycling the aluminum components where applicable.

Contact Information for Further Support

For any questions or concerns regarding the safety or use of this product, please consult the manufacturer's website or contact their customer support. Ensure you have your product details ready for reference.

By following these safety instructions, you can ensure a safe and effective experience with your 2 Cavity Pistol Bullet Molds. Thank you for your attention to safety and responsible usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk