

RAM PRIMING UNIT - RCBS RAM PRIMING UNIT

[Reloading](#) > [Priming Tools](#) > [Hand Tools](#)

Gives you better "feel" by seating the primer at the top of the press stroke
Can also pre-set a positive stop to speed up your reloading process Works with any single stage or turret press with 7/8"-14 thread & RCBS-type single stage shell holder Includes large and small primer rod assemblies for boxer type rifle & pistol primers



Attributes

- Name: [RCBS RAM PRIMING UNIT](#)
- Manufacturer: [RCBS](#)
- Product no.: 100010217
- Mfr. No.: 9165
- Delivery weight: 0.272kg
- Shipping height: 53mm
- Shipping width: 58mm
- Shipping length: 91mm
- UPC: 076683091659

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for RCBS RAM Priming Unit](#)
- [About Us](#)

Safety Instruction Guide for RCBS RAM Priming Unit

Introduction

Thank you for choosing the RCBS RAM Priming Unit. This product is designed to enhance your reloading experience by providing better feel and control when seating primers. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always read and understand the instruction manual before using the product.
- Keep the product out of reach of children and pets.
- Ensure the work area is clean, welllit, and free from hazards.
- Wear appropriate personal protective equipment (PPE), such as safety glasses, to protect against debris and accidental primer discharge.
- Regularly inspect the product for any signs of wear or damage. Do not use if damaged.
- Follow all local laws and regulations regarding reloading and ammunition.

Specific Safety Precautions for Use

- Only use the RCBS RAM Priming Unit with single stage or turret presses that have a 7/8"14 thread and RCBS type single stage shell holder.
- Use only boxer type rifle and pistol primers that are compatible with the provided large and small primer rod assemblies.
- Do not force the primer seating process. If resistance is felt, stop and investigate the cause.
- Avoid distractions while reloading to maintain focus and ensure safety.
- Store primers and reloading components in a cool, dry place away from direct sunlight and heat sources.
- Do not exceed the manufacturer's recommended load data when reloading ammunition.

Instructions for Installation and Usage

1. Installation:

- Ensure the press is securely mounted to a stable work surface.
- Attach the RCBS RAM Priming Unit to the press using the 7/8"14 thread, ensuring a snug fit.
- Select the appropriate primer rod assembly (large or small) based on the type of primer you will be using.
- Insert the chosen primer rod assembly into the priming unit.

2. Usage:

- Begin with the press in the fully raised position.
- Place a primer into the primer pocket of the ram.
- Gradually lower the ram to seat the primer. You should feel a firm resistance as the primer is seated.
- If using the positive stop feature, adjust it to your preference for quicker operation.
- Once the primer is seated, raise the ram to complete the cycle.
- Repeat the process for additional primers as needed.

Disposal Instructions

- Dispose of any unused or defective primers and reloading components in accordance with local regulations.
- Do not dispose of primers or ammunition in regular household waste.
- Contact local authorities or waste management services for guidance on safe disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the RCBS RAM Priming Unit, please refer to the manufacturer's website or customer service for assistance.

By following these safety instructions, you can ensure a safe and efficient reloading process with the RCBS RAM Priming Unit. Thank you for your attention to safety and for choosing our product. Happy reloading!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk