

AUTO PRIMER FEED COMBO - RCBS AUTO PRIMER FEEDER COMBO

[Reloading](#) > [Priming Tools](#) > [Benchmount Tools](#)

Drops primers one at a time into the primer plug and sleeve Stops misfires as greasy fingers never need to touch primers Nylon primer pick-up keeps primers from falling out Tube capacity of 100 primers For rock chucker II press; also fits JR and Reloader special presses Not for use with RC Supreme Comes with tubes for large and small primers



Attributes

- Name: [RCBS AUTO PRIMER FEEDER COMBO](#)
- Manufacturer: [RCBS](#)
- Product no.: 100010245
- Mfr. No.: 9580
- Delivery weight: 0.136kg
- Shipping height: 28mm
- Shipping width: 30mm
- Shipping length: 358mm
- UPC: 076683095800

Table of Contents

- Startpage
- Safety Instruction Guide for AUTO PRIMER FEED COMBO
- About Us

Safety Instruction Guide for AUTO PRIMER FEED COMBO

Introduction

Thank you for choosing the AUTO PRIMER FEED COMBO by RCBS. This product is designed to enhance your reloading experience by providing a reliable method for feeding primers into your reloading press. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always read the manufacturer's instructions before using the product.
- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly check for any wear or damage to the product before use.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about any product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not attempt to modify or alter the product in any way.
- Avoid touching primers with greasy or dirty hands to prevent misfires.
- Use only the specified types of primers for this feeder (large and small primers).
- Ensure that the tube is properly seated in the feeder before use to prevent jams.
- Do not exceed the tube capacity of 100 primers to avoid overloading.
- Always operate the product in a welllit and clean environment.
- In case of a malfunction, stop using the product immediately and consult the manufacturer.

Instructions for Installation and Usage

1. Installation:

- Ensure that the reloading press (Rock Chucker II, JR, or Reloader Special) is turned off and unplugged.
- Attach the primer feeder to the press following the manufacturer's instructions.
- Secure the feeder in place to prevent movement during operation.

2. Loading Primers:

- Open the primer tube by removing the cap.
- Carefully insert the primers into the tube, ensuring they are oriented correctly.
- Close the tube securely to prevent primers from falling out.

3. Using the Primer Feeder:

- Activate the reloading press to dispense one primer at a time into the primer plug and sleeve.
- Monitor the feeder during operation to ensure proper functioning.
- If a primer fails to drop, stop the press and check for obstructions.

4. After Use:

- Remove any unused primers from the feeder and store them in a safe location.
- Clean the feeder regularly to maintain its performance.

Disposal Instructions

- Dispose of any unused or expired primers according to local regulations.
- The product itself should be disposed of in a manner that complies with local waste disposal regulations.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any inquiries or concerns regarding the AUTO PRIMER FEED COMBO, please refer to the manufacturer's contact information provided in the product packaging or manual.

Thank you for your attention to these safety guidelines. By following these instructions, you can ensure a safe and enjoyable reloading experience with your AUTO PRIMER FEED COMBO.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk