

TNT 6MM (0.243") HOLLOW POINT BULLETS - SPEER 6MM (0.243") 70GR HOLLOW POINT 750/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

These varmint-specific bullets feature a thin jacket of precisely gauged thickness, internal fluting and a dead-soft lead core for ultimate bullet expansion. The long ogive and small hollowpoint provide for remarkable accuracy over long distances. Some calibers available in money-saving Value Packs for high-volume shooters.



Attributes

- Name: [SPEER 6MM \(0.243"\) 70GR HOLLOW POINT 750/BOX](#)
- Manufacturer: [SPEER](#)
- Product no.: 100010342
- Mfr. No.: 4720
- Ballistic Coefficient (G1): 0.282
- Brand Style: TNT
- Bullet Style: Hollow Point (HP)
- Caliber: 6mm,243 Caliber
- Diameter (in): 0.243
- Grain: 70
- Sectional Density: 0.169
- Quantity: 750
- Delivery weight: 3.558kg
- UPC: 076683047205

Item details

Made in USA

US export classification: 0A505.x

Table of Contents

- Startpage
- Safety Instruction Guide for TNT 6MM (0.243") Hollow Point Bullets
- About Us

Safety Instruction Guide for TNT 6MM (0.243") Hollow Point Bullets

Introduction

Thank you for purchasing the TNT 6MM (0.243") Hollow Point Bullets by Speer. This guide provides important safety instructions to ensure the safe handling and use of this product. Please read this guide carefully before using the bullets.

General Safety Guidelines

- Always treat all ammunition as if it is live and capable of firing.
- Store ammunition in a cool, dry place, away from heat sources and direct sunlight.
- Keep ammunition out of reach of children and unauthorized persons.
- Use only in firearms that are specifically chambered for the 6MM (0.243") caliber.
- Regularly inspect your firearm and ammunition for damage or defects before use.
- Follow all local laws and regulations regarding the purchase, storage, and use of ammunition.

Specific Safety Precautions for Use

- Ensure that the firearm is pointed in a safe direction at all times during handling.
- Always wear appropriate eye and ear protection when shooting.
- Be aware of your surroundings and ensure a clear line of sight before firing.
- Do not use damaged or corroded ammunition.
- If a misfire occurs, wait at least 30 seconds before attempting to remove the cartridge.
- Avoid excessive exposure to lead and other materials; wash your hands thoroughly after handling ammunition.

Instructions for Installation and Usage

1. Loading the Firearm:

- Ensure the firearm is on safety and pointed in a safe direction.
- Open the action and visually inspect the chamber to ensure it is clear.
- Insert the TNT 6MM (0.243") Hollow Point Bullets into the magazine according to the manufacturer's instructions.
- Close the action and engage the safety until you are ready to fire.

2. Firing the Ammunition:

- Ensure you are in a designated shooting area.
- Disengage the safety and take aim at your target.
- Squeeze the trigger smoothly to fire the bullet.
- After firing, check the firearm and surroundings for safety before reloading.

3. PostUse Care:

- Clean your firearm according to the manufacturer's instructions.
- Store any remaining ammunition in a safe and secure location.

Disposal Instructions

- Dispose of any unused or damaged ammunition according to local regulations.
- Do not throw ammunition in the trash or incinerate.
- Contact your local authorities or waste disposal facility for proper disposal methods.

Contact Information for Further Support

For any questions regarding the safety and handling of TNT 6MM (0.243") Hollow Point Bullets, please refer to the manufacturer's website or contact their customer service for assistance.

By following these guidelines, you can ensure a safe and enjoyable shooting experience. Always prioritize safety and responsibility when handling ammunition.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu