

# BOAT TAIL 25 CALIBER (0.257") SOFT POINT BULLETS - SPEER 25 CALIBER (0.257") 120GR SOFT POINT 100/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

Traditional soft-point Boat Tail rifle bullets deliver a flat-trajectory and streamlined profile that make them a tremendous long-range hunting option. Designed with a heavy heel section, these deadly bullets also deliver reliable and controlled expansion.



## Attributes

- Name: [SPEER 25 CALIBER \(0.257"\) 120GR SOFT POINT 100/BOX](#)
- Manufacturer: [SPEER](#)
- Product no.: 100010393
- Mfr. No.: 1410
- Ballistic Coefficient (G1): 0.480
- Brand Style: Boat Tail
- Bullet Style: Soft Point (SP)
- Caliber: 25 Caliber
- Diameter (in): 0.257
- Grain: 120
- Sectional Density: 0.260
- Quantity: 100
- Delivery weight: 0.816kg
- Shipping height: 33mm
- Shipping width: 64mm
- Shipping length: 91mm
- UPC: 076683014108

## Item details

Made in USA

US export classification: 0A505.x

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for BOAT TAIL 25 CALIBER \(0.257"\) SOFT POINT BULLETS](#)
- [About Us](#)

# Safety Instruction Guide for BOAT TAIL 25 CALIBER (0.257") SOFT POINT BULLETS

## Introduction

Thank you for choosing the BOAT TAIL 25 CALIBER (0.257") SOFT POINT BULLETS by Speer. These traditional softpoint bullets are designed for longrange hunting, offering a flat trajectory and streamlined profile. This guide provides important safety instructions to ensure the safe use of this product in accordance with the EU General Product Safety Regulation (GPSR).

## General Safety Guidelines

- Ensure that all users are familiar with firearm safety practices.
- Always treat every firearm as if it is loaded.
- Store ammunition in a locked and secure location, away from children and unauthorized users.
- Regularly check for product recalls on the EU's Safety Gate platform.
- Report any unsafe products or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Use only in firearms specifically chambered for 25 caliber (0.257") ammunition.
- Do not exceed the manufacturer's recommended load specifications.
- Always wear appropriate eye and ear protection when shooting.
- Avoid using damaged or corroded ammunition.
- Ensure that the firearm is in good working order before use.
- Be aware of your surroundings and ensure a safe shooting environment.

## Instructions for Installation and Usage

### 1. Loading the Ammunition:

- Ensure the firearm is pointed in a safe direction.
- Open the action and visually inspect the chamber to confirm it is clear.
- Load the bullets into the magazine or chamber according to the firearm's manual.

### 2. Firing the Ammunition:

- Assume a stable shooting position.
- Keep your finger off the trigger until you are ready to shoot.
- Aim at your target and squeeze the trigger smoothly.

### 3. PostFiring:

- After firing, keep the firearm pointed in a safe direction.
- Open the action and visually inspect the chamber to confirm it is clear.
- Store unused ammunition securely.

## Disposal Instructions

- Dispose of used or damaged ammunition in accordance with local regulations.
- Do not discard ammunition in regular household waste.
- Contact local authorities or waste management facilities for proper disposal methods.

## **Contact Information for Further Support**

For any safety inquiries or further support regarding the BOAT TAIL 25 CALIBER (0.257") SOFT POINT BULLETS, please refer to the manufacturer's contact information, which can be found on the packaging or the manufacturer's website.

By following these safety instructions, you can help ensure a safe and enjoyable experience with your BOAT TAIL 25 CALIBER (0.257") SOFT POINT BULLETS. Always prioritize safety and be aware of your responsibilities as a firearm user.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)