

NO-GO HEADSPACE GAUGES - CLYMER NO GO 300 AAC BLACKOUT HEADSPACE GAUGE STEEL

[Gunsmith Tools](#) > [Measuring Tools](#) > [Headspace Gauges](#)

Absolutely Essential For Accurate, Safe, Chamber Work

CLYMER NO-GO HEADSPACE GAUGES The Clymer No-Go Headspace Gauges are precision tools designed to help gunsmiths and firearm enthusiasts verify that a firearm's chamber does not exceed the maximum safe headspace dimensions. By identifying excessive chamber length, these gauges prevent potential safety hazards such as case ruptures or misfires, ensuring the firearm operates within the specified tolerances. They are essential during the chambering of new barrels, routine maintenance, or when assessing used firearms for purchase. Key Features: Precision Machining: Each gauge is crafted from high-quality steel and machined to exact SAAMI specifications, ensuring accurate and reliable measurements. Caliber Specificity: Available in a wide range of calibers, these gauges cater to various firearm types, providing versatility for gunsmiths working with multiple platforms. Durable Construction: Built to withstand repeated use, the hardened steel construction ensures longevity and consistent performance in demanding workshop environments. Specifications: Material: Hardened steel Dimensions: Size varies with caliber and gauge style Compliance: Manufactured to SAAMI specifications Customer Insights: Customers value the Clymer No-Go Headspace Gauges for their precision and reliability. The accurate machining and adherence to industry standards provide confidence during firearm assembly and inspection processes. Users appreciate the wide range of available calibers, allowing them to select the appropriate gauge for their specific needs. The durable construction is frequently highlighted, with many noting that the gauges maintain their accuracy even after extensive use. Incorporating the Clymer No-Go Headspace Gauges into your gunsmithing toolkit ensures that your firearm chambers are within safe operational limits, enhancing both safety and performance.



Attributes

- Name: [CLYMER NO GO 300 AAC BLACKOUT HEADSPACE GAUGE STEEL](#)
- Manufacturer: [CLYMER](#)
- Product no.: 100011311
- Mfr. No.: NG300BLACK
- Cartridge: 300 AAC Blackout
- Colour: Steel
- Height: 0.365"
- Length: 1.287"
- Material: Steel
- Model Number: NO GO 300 AAC Blackout
- Style: No Go Gauge
- Weight: 0.1 lbs
- Width: 0.365"
- Delivery weight: 0.136kg
- Shipping height: 10mm
- Shipping width: 25mm
- Shipping length: 51mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for HEADSPACE GAUGES NOGO CLYMER NO GO 300 AAC BLACKOUT HEADSPACE GAUGE STEEL
- About Us

Safety Instruction Guide for HEADSPACE GAUGES NOGO CLYMER NO GO 300 AAC BLACKOUT HEADSPACE GAUGE STEEL

Introduction

Thank you for choosing the HEADSPACE GAUGES NOGO CLYMER NO GO 300 AAC BLACKOUT HEADSPACE GAUGE STEEL. This product is designed to ensure the accurate measurement and testing of the chamber length of your rifle. Proper use of this gauge is essential for maintaining safety and performance when chambering new barrels or checking used firearms. This guide provides important safety instructions and guidelines to ensure safe usage.

General Safety Guidelines

- Ensure that the gauge is used only for its intended purpose.
- Read and understand all instructions before using the gauge.
- Always check the headspace of a used firearm before firing.
- Keep the gauge out of reach of children and vulnerable individuals.
- Regularly inspect the gauge for any signs of damage or wear.
- Report any unsafe products or incidents to the relevant authorities.
- Stay updated on recall information through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when using firearms.
- Ensure the firearm is unloaded before measuring headspace.
- Use the gauge in a welllit and clean environment to avoid accidents.
- Do not force the gauge into the chamber; it should fit smoothly.
- If the gauge does not fit properly, do not attempt to modify the firearm or the gauge.
- Follow manufacturer specifications and guidelines for your specific firearm model.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is completely unloaded and pointed in a safe direction.
- Gather all necessary tools and materials.

2. Using the Gauge:

- Take the NOGO gauge and carefully insert it into the chamber of the firearm.
- Ensure that the gauge is fully seated in the chamber.
- If the bolt closes on the NOGO gauge, the chamber is too long and may be unsafe for firing.
- If the bolt does not close, the headspace is acceptable for safe operation.

3. PostUse:

- Remove the gauge from the chamber and clean it to remove any debris or residue.
- Store the gauge in a safe and dry location, away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of the gauge in accordance with local regulations.
- If the gauge is damaged beyond repair, contact your local waste management facility for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the use of this product, please consult the manufacturer's website or customer support for assistance. Always ensure that you have the latest information regarding safety and product recalls.

Thank you for your attention to these safety guidelines. Proper use and care of the HEADSPACE GAUGES will ensure your safety and the optimal performance of your firearm.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk