

AR-15 MOE STOCK FIXED COMMERCIAL - MAGPUL MOE FIXED COMMERCIAL-SPEC CARBINE STOCK FOR AR-15 BLACK

[Rifle Parts](#) > [Stock Parts](#) > [Buttstocks](#)

The MOE Fixed Carbine Stock provides a fixed, non-collapsing stock option for carbine length buffer tubes. The MOE Fixed Carbine Stock has a slim profile, improved cheek weld, and multiple sling attachment options, and is compatible with the ASAP Plate and PRS Extended Rubber Butt Pad. Installation is non-armorer and does not require the castle nut or lock plate to be removed. Uses the Magpul Type 1 QD Sling Mount.



Attributes

- Name: [MAGPUL MOE FIXED COMMERCIAL-SPEC CARBINE STOCK FOR AR-15 BLACK](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100011569
- Mfr. No.: MAG481-BLK
- Colour: Black
- Material: Polymer
- Style: Carbine,Fixed
- Type: Commercial
- Weapon type: AR-15
- Delivery weight: 0.476kg
- Shipping height: 56mm
- Shipping width: 145mm
- Shipping length: 234mm
- UPC: 873750008004

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for AR15 MOE Fixed Commercial Stock](#)
- [About Us](#)

Safety Instruction Guide for AR15 MOE Fixed Commercial Stock

Introduction

Thank you for choosing the AR15 MOE Fixed Commercial Stock by MAGPUL. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the stock is compatible with your carbine length buffer tube before installation.
- Always handle firearms responsibly and follow all local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the stock for any signs of wear or damage before use.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform to stay informed about product safety.

Specific Safety Precautions for Use

- Do not exceed the weight limit specified by the manufacturer for the stock.
- Avoid using the stock in conditions that may compromise its integrity, such as extreme temperatures or exposure to harsh chemicals.
- Ensure that all sling attachments are securely fastened before use.
- Do not modify the stock or use it in a manner not intended by the manufacturer.
- Always ensure the firearm is unloaded before installing or adjusting the stock.

Instructions for Installation and Usage

1. Installation Steps:

- Ensure the firearm is unloaded and safe to handle.
- Remove the existing stock if necessary, following the manufacturer's instructions.
- Align the MOE Fixed Carbine Stock with the buffer tube.
- Slide the stock onto the buffer tube until it is fully seated.
- Secure any necessary locking mechanisms as per the manufacturer's guidelines.

2. Usage Instructions:

- Adjust the cheek weld to ensure a comfortable and secure position for aiming.
- Attach your sling using the Magpul Type 1 QD Sling Mount, ensuring it is properly secured.
- Regularly check the stock and sling attachments for tightness and stability during use.

Disposal Instructions

- Dispose of the product according to local regulations for plastic and polymer materials.
- Do not dispose of the stock in regular household waste. Instead, utilize designated recycling facilities if available.
- Ensure that all components are disposed of safely to prevent potential hazards.

Contact Information for Further Support

For any questions or concerns regarding the AR15 MOE Fixed Commercial Stock, please refer to the manufacturer's website or contact their customer support for assistance. It is important to ensure that you have access to support for any safety inquiries or product issues.

Thank you for your attention to these safety instructions. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk