

# FORWARD SLING MOUNT MOSSBERG 590A1 - MAGPUL 590A1 FORWARD SLING MOUNT FOR 12GA MOSSBERG BLACK

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Shotgun Sling Mounts](#)

The Forward Sling Mount is a sling attachment point that clamps onto the barrel and extended magazine tube. It can be configured for use with either Push-Button QD Sling Swivels or one point clip-in style attachments such as the MS3 Paraclip, the HK Hook, ITW MASH Hook, and others. Made from precision cast steel that is Melonite treated for wear and corrosion resistance.



## Attributes

- Name: [MAGPUL 590A1 FORWARD SLING MOUNT FOR 12GA MOSSBERG BLACK](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100011574
- Mfr. No.: MAG493-BLK
- Colour: Black
- Material: Steel
- Style: Shotgun Mount
- Delivery weight: 0.091kg
- Shipping height: 32mm
- Shipping width: 102mm
- Shipping length: 184mm
- UPC: 873750008592

## Item details

Made in USA

# Table of Contents

- Startpage
- Forward Sling Mount Safety Instruction Guide
- About Us

# Forward Sling Mount Safety Instruction Guide

## Introduction

Thank you for purchasing the Forward Sling Mount for your Mossberg 590A1. This guide provides important safety instructions and usage guidelines to ensure your product is used safely and effectively. Please read this manual carefully before installation and use.

## General Safety Guidelines

- Ensure that the Forward Sling Mount is installed correctly to avoid any accidents during use.
- Always inspect the Forward Sling Mount for damage before each use. Do not use if any part is damaged or worn.
- Keep the product out of reach of children and vulnerable individuals.
- Use the Forward Sling Mount only for its intended purpose as specified in this guide.
- Report any unsafe conditions or incidents to the relevant authorities.

## Specific Safety Precautions for Use

- Always ensure your firearm is unloaded before attaching or detaching the Forward Sling Mount.
- Do not exceed the manufacturer's weight recommendations for sling attachments.
- Ensure that the sling attachment point is securely fastened before use.
- Avoid using the Forward Sling Mount with incompatible sling styles or attachments.
- Be aware of your surroundings when using the firearm with the Forward Sling Mount attached.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Locate the barrel and extended magazine tube of your Mossberg 590A1.
- Position the Forward Sling Mount on the barrel and magazine tube.
- Clamp the Forward Sling Mount securely, ensuring it is tightened according to the manufacturer's specifications.
- Verify that the mount is stable and does not move when pulled.

### 2. Usage:

- Attach your sling using either PushButton QD Sling Swivels or one point clipin style attachments (e.g., MS3 Paraclip, HK Hook, ITW MASH Hook).
- Adjust the sling to your preferred length for comfort and ease of use.
- Regularly check the attachment points during use to ensure they remain secure.

## Disposal Instructions

- Dispose of the Forward Sling Mount in accordance with local regulations.
- Do not dispose of the product in household waste. Instead, take it to a designated recycling facility if available.
- Ensure that any packaging materials are also disposed of responsibly.

## Contact Information for Further Support

For safety inquiries and support, please contact the manufacturer's customer service. Refer to the product

packaging or the manufacturer's website for the appropriate contact details.

By following these guidelines, you can ensure the safe and effective use of your Forward Sling Mount. Thank you for your attention to these important safety instructions.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)