

.300 BLACKOUT CARBINE BUFFER SPRING - NEMO 300 BLACKOUT CARBINE BUFFER SPRING

[Rifle Parts](#) > [Receiver Parts](#) > [Recoil Parts](#) > [Recoil Springs](#)

Reduced Power Spring For Sub-Sonic Loads

Specially-engineered spring is designed to optimize performance of AR-15s with 16" barrels chambered for .300 AAC Blackout and carbine-length gas systems. Specifically helps produce reliable function with sub-sonic ammunition. An effective and easy way to cure short cycling in under-gassed guns.



Attributes

- Name: [NEMO 300 BLACKOUT CARBINE BUFFER SPRING](#)
- Manufacturer: [NEMO](#)
- Product no.: 100011674
- Mfr. No.: BL-LD50-7
- Application Type: Competition,Tactical
- Consumable Commodity: Commodity
- Expertise Required: Novice
- Market Tier: Mid
- Delivery weight: 0.007kg
- Shipping height: 24mm
- Shipping width: 142mm
- Shipping length: 256mm
- UPC: 856458004097

Item details

Made in USA

Table of Contents

- Startpage
- .300 BLACKOUT CARBINE BUFFER SPRING SAFETY INSTRUCTIONS
- About Us

.300 BLACKOUT CARBINE BUFFER SPRING SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the .300 BLACKOUT CARBINE BUFFER SPRING from NEMO. This product is designed to enhance the performance of AR15s with 16" barrels chambered for .300 AAC Blackout. To ensure safe usage and optimal performance, please read this safety instruction guide carefully.

General Safety Guidelines

- Always ensure that the firearm is unloaded before installing or handling the buffer spring.
- Store the buffer spring in a secure location, out of reach of children and unauthorized users.
- Regularly inspect the buffer spring for signs of wear or damage. Replace it if any defects are found.
- Use only compatible ammunition as specified by the firearm manufacturer.
- Follow all local laws and regulations regarding firearm accessories and modifications.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Potential Hazards:** Improper installation or use may lead to malfunctioning of the firearm, which can result in serious injury or death.
- **Installation Precautions:** Ensure that you are familiar with the installation process. If unsure, seek assistance from a qualified gunsmith.
- **Usage Precautions:**
 - Always wear appropriate eye and ear protection when firing your firearm.
 - Be aware of your surroundings and ensure a safe shooting environment.
 - Do not use the firearm in a manner that is not intended by the manufacturer.

Instructions for Installation and Usage

Installation Instructions

1. **Preparation:** Gather all necessary tools and ensure your work area is clean and welllit.
2. **Unloading the Firearm:** Ensure the firearm is completely unloaded. Check the chamber and magazine.
3. **Removing the Old Buffer Spring:**
 - Disassemble the firearm according to the manufacturer's instructions.
 - Carefully remove the old buffer spring from the buffer tube.
4. **Installing the New Buffer Spring:**
 - Insert the new .300 BLACKOUT CARBINE BUFFER SPRING into the buffer tube.
 - Ensure it is seated properly and secure.
5. **Reassembling the Firearm:** Follow the manufacturer's instructions to reassemble the firearm.
6. **Function Check:** Before firing, perform a function check to ensure everything is working correctly.

Usage Instructions

- Load the firearm with the appropriate ammunition.
- Fire the firearm in a safe and controlled environment.
- Monitor the firearm's performance for any abnormalities during use.
- If you experience short cycling or other issues, cease use immediately and inspect the buffer spring.

Disposal Instructions

- Dispose of the buffer spring in accordance with local regulations.
- Do not dispose of the buffer spring in regular household waste.
- Check for recycling options specific to metal components.

Contact Information for Further Support

For any questions or concerns regarding the .300 BLACKOUT CARBINE BUFFER SPRING, please refer to the manufacturer's website or contact your local retailer for assistance.

By following these safety instructions, you can ensure the optimal performance and safety of your .300 BLACKOUT CARBINE BUFFER SPRING. Thank you for your attention to safety and for choosing NEMO products.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk