

# 1911 LPA REAR SIGHT - HARRISON DESIGN & CONSULTING LPA CUT U-NOTCH REAR SIGHT, BLACK

[Handgun Parts](#) > [Sights](#) > [Rear Sights](#)

Rugged, fixed rear sight features a precision machined LPA dovetail for easy replacement of a fragile adjustable sight to make your gun more suitable for duty or carry. Extra-wide, .135" notch provides more light around the front blade to open up the sight picture for fast target acquisition. 50 lpi serrations on the rear face help eliminate glare. Allen head setscrew locks sight into slide dovetail for a rock-solid installation that won't shoot loose. Regulates with most factory installed front sights. Machined from solid steel bar stock with radiused edges that help prevent holster snag. Minor fitting may be required. LPA fits Springfield Armory, Para-Ordnance and other pistols with the LPA dovetail. Will not fit Springfield TRP Operator. U-Notch rear sight features a "U" rear cutout instead of the standard square notch.



## Attributes

- Name: [HARRISON DESIGN & CONSULTING LPA CUT U-NOTCH REAR SIGHT, BLACK](#)
- Manufacturer: [HARRISON DESIGN & CONSULTING](#)
- Product no.: 100012178
- Mfr. No.: HD-002-U
- Make: 1911
- Model: Commander, Government, Officers
- Sight Color: Black
- Style: LPA, U-Notch
- Delivery weight: 0.039kg

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for 1911 LPA Rear Sight by Harrison Design & Consulting
- About Us

# Safety Instruction Guide for 1911 LPA Rear Sight by Harrison Design & Consulting

## Introduction

Thank you for choosing the 1911 LPA Rear Sight by Harrison Design & Consulting. This guide provides essential safety instructions and guidelines to ensure the safe installation and use of your new rear sight. Please read this manual carefully before proceeding with installation or usage.

## General Safety Guidelines

- Ensure the firearm is unloaded before installing or adjusting the rear sight.
- Always wear appropriate eye protection when handling firearms.
- Keep the rear sight and any tools used for installation out of reach of children.
- Follow all local laws and regulations regarding firearm modifications and usage.
- Regularly inspect the rear sight for any signs of wear or damage.

## Specific Safety Precautions for Use

- **Installation Precautions:**
  - Use proper tools to avoid damaging the sight or firearm.
  - Ensure the sight is securely locked in place to prevent movement during use.
- **Usage Precautions:**
  - Always check the alignment of the sight before firing.
  - Be aware of your surroundings and ensure a safe shooting environment.
  - Do not use the firearm if the sight appears to be loose or damaged.

## Instructions for Installation and Usage

### 1. Installation Steps:

- Ensure the firearm is unloaded.
- Remove the existing rear sight using appropriate tools.
- Clean the dovetail area to remove any debris or old adhesive.
- Align the LPA rear sight with the dovetail and insert it carefully.
- Use the Allen head setscrew to lock the sight into place, ensuring it is secure.
- Check for proper alignment with the front sight.

### 2. Usage Instructions:

- Once installed, familiarize yourself with the sight picture.
- Practice aiming at targets to improve accuracy.
- Regularly assess the sight's condition and functionality.

## Disposal Instructions

- Dispose of any packaging materials responsibly and in accordance with local regulations.
- If the sight becomes damaged beyond repair, follow local guidelines for disposal of metal components.

## Contact Information for Further Support

For any inquiries or concerns regarding the 1911 LPA Rear Sight, please reach out to your point of purchase or

consult the manufacturer's website for additional support resources.

By adhering to these safety guidelines and instructions, you can ensure a safe and effective experience with your 1911 LPA Rear Sight. Always prioritize safety when handling firearms and modifications.

# About Us

## **Brownells Europe**

### **Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

P.O.Box 4300   
Warwick   
CV34 9BR

[www.brownells.eu](http://www.brownells.eu)