

FORGED QUICK DETACH SLING SWIVEL - ALG DEFENSE FORGED QD SLING SWIVEL

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Sling Loop Sets](#)

Strong Aluminum Swivel Is Lighter Than Steel

Forged aluminum QD sling swivel weighs less than steel swivels, but remains strong and rugged. Made from 7075 T6 aluminum, just like AR-15 upper and lower receivers. Detents give smooth, fast function. Accepts slings up to 1" wide, and supports loads up to 750 lbs when inserted into steel socket.



Attributes

- Name: [ALG DEFENSE FORGED QD SLING SWIVEL](#)
- Manufacturer: [ALG DEFENSE](#)
- Product no.: 100012542
- Mfr. No.: 05-224B
- Material: Steel
- Style: Rifle Swivels
- Delivery weight: 0.159kg
- Shipping height: 3mm
- Shipping width: 102mm
- Shipping length: 127mm
- UPC: 817953021545

Item details

Made in USA

Table of Contents

- Startpage
- FORGED QUICK DETACH SLING SWIVEL SAFETY INSTRUCTIONS
- About Us

FORGED QUICK DETACH SLING SWIVEL SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the FORGED QUICK DETACH SLING SWIVEL by ALG DEFENSE. This product is designed for enhanced functionality and durability. Please read this safety instruction guide carefully to ensure safe and proper use of the sling swivel.

General Safety Guidelines

- Ensure safe use of the sling swivel by following all instructions provided.
- Be aware of potential hazards associated with improper use or installation.
- Regularly inspect the sling swivel for wear and damage before each use.
- Use the sling swivel only for its intended purpose.
- Keep this product out of reach of children and vulnerable individuals.

Specific Safety Precautions for Use

- **Weight Limit:** Do not exceed the maximum load capacity of 750 lbs when the sling swivel is inserted into a steel socket.
- **Sling Width:** Ensure that the sling used with the swivel does not exceed 1 inch in width.
- **Inspection:** Before each use, check the sling swivel for signs of damage, such as cracks or deformation.
- **Installation:** Ensure that the sling swivel is properly secured before use to prevent accidental disengagement.
- **Avoid Modifications:** Do not modify the sling swivel in any way, as this may compromise its safety and functionality.

Instructions for Installation and Usage

1. Installation:

- Select a steel socket compatible with the sling swivel.
- Insert the sling swivel into the socket until it clicks securely into place.
- Ensure that the detents are engaged for a smooth and fast function.

2. Usage:

- Attach the sling to the swivel, ensuring that it is properly threaded and secured.
- Adjust the sling to your desired length before use.
- Regularly check the attachment points during use to ensure they remain secure.

3. PostUse Inspection:

- After each use, inspect the sling swivel for any signs of wear or damage.
- Store the sling swivel in a dry, safe place away from children and pets.

Disposal Instructions

- When the sling swivel is no longer in use or is damaged beyond repair, dispose of it in accordance with local regulations for metal products.
- Do not dispose of the sling swivel in regular household waste.

Contact Information for Further Support

For any safety inquiries or concerns regarding the FORGED QUICK DETACH SLING SWIVEL, please refer to the contact information provided on the packaging or the manufacturer's website.

Thank you for your attention to these safety instructions. Enjoy your product responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk