

# AMBI SLING - CROSSTAC AMBI SLING BLACK, WITH QD SWIVELS

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Slings](#)

## Fast Transitions From Two-Point To Single-Point Carry

Rugged nylon web sling works as a traditional two-point sling for comfortable hands-free carry, then transitions rapidly to single-point configuration if the mission dictates. Features a 9½" section of bungee cord that keeps the weapon tight to the body to prevent hang-ups; durable nylon sheath protects the bungee. Two steel alligator snap hooks with spring-loaded safety locks prevent unintentional release, yet allow fast changes from two- to single-point use. Polymer quick-release buckle instantly opens the sling for emergency egress. Polymer adjustment buckles enable easy fit over tactical vests and other gear. Two steel D-rings allow optional advanced single-point configurations. The "QD" is equipped with popular QD connectors and innovative female QD. QD's provide quiet, fully fluid connection that's that hold perfectly, release quickly, and give maximum flexibility. This set-up gives you the ability to do lightning fast conversions from single point to 2-point, plus the "limited bungee" locks out at about 6" to give firm shooting support if needed and will never breakdown.



## Attributes

- Name: [CROSSTAC AMBI SLING BLACK, WITH QD SWIVELS](#)
- Manufacturer: [CROSSTAC](#)
- Product no.: 100013562
- Mfr. No.: 135025-BLK-QD
- Colour: Black
- Material: Nylon
- Style: 1-point Sling,2-point Sling
- Width: -
- Delivery weight: 0.204kg
- Shipping height: 36mm
- Shipping width: 122mm
- Shipping length: 186mm
- UPC: 709396001508

## Item details

Made in USA

# Table of Contents

- Startpage
- AMBI SLING CROSSTAC AMBI SLING BLACK Safety Instruction Guide
- About Us

# AMBI SLING CROSSTAC AMBI SLING BLACK Safety Instruction Guide

## Introduction

Thank you for choosing the AMBI SLING CROSSTAC AMBI SLING BLACK. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the sling. Please read this document carefully before using the product.

## General Safety Guidelines

- **Product Safety:** Always ensure the sling is used in accordance with these guidelines to minimize risks associated with improper use.
- **Enhanced Recalls:** Stay informed about product recalls. If you receive a recall notice, follow the instructions provided.
- **Online Shopping:** Ensure you purchase the sling from authorized retailers to guarantee safety standards.
- **Special Consumer Focus:** This product is not intended for use by children. Ensure that only responsible adults handle the sling.
- **EU Contact Point:** For any safety inquiries, refer to the contact information provided by your retailer or manufacturer.
- **Rapid Alerts:** Monitor the EU Safety Gate platform for updates on product safety and recalls.

## Specific Safety Precautions for Use

- **Proper Fit:** Ensure the sling is adjusted to fit securely over your tactical gear. An improper fit may lead to accidental release or injury.
- **Bungee Cord Use:** The bungee cord is designed to keep the weapon tight to your body. Do not overstretch the bungee beyond its limits to avoid potential breakage.
- **Quick Release Mechanism:** Familiarize yourself with the polymer quickrelease buckle. Ensure it functions correctly before use to allow for emergency egress.
- **Weight Limit:** Check the weight of your weapon and ensure it is within the limits specified by the manufacturer. Overloading the sling may cause failure.
- **Inspect Regularly:** Periodically check the sling for signs of wear, damage, or fraying. If any issues are found, discontinue use immediately.
- **Avoid Sharp Objects:** Keep the sling away from sharp objects that may cause damage to the nylon webbing or bungee cord.

## Instructions for Installation and Usage

1. **Unpacking:** Carefully remove the sling from its packaging. Ensure all components are included.
2. **Adjusting the Sling:**
  - Locate the polymer adjustment buckles.
  - Pull the webbing to adjust the length of the sling from 29" (73.6 cm) to 60" (152 cm) as needed.
3. **Attaching the Sling:**
  - Use the steel snaphooks to attach the sling to your weapon.
  - Ensure the hooks are securely attached and locked in place.
4. **Switching Configurations:**
  - To switch from twopoint to singlepoint configuration, detach one snaphook and attach it to the designated Dring.
  - Ensure the attachment is secure before use.
5. **Using the Sling:**
  - When using the sling, ensure it is positioned comfortably against your body.

- If transitioning to a singlepoint configuration, check that the bungee cord is properly adjusted to maintain a snug fit.

#### 6. **Emergency Release:**

- In case of emergency, pull the polymer quickrelease buckle to detach the sling quickly.
- Practice this action to ensure familiarity.

## Disposal Instructions

- **Disposal of the Sling:** If you need to dispose of the sling, do so in accordance with local regulations.
- **Recycling:** Check if the materials can be recycled. Dispose of any nonrecyclable components responsibly.

## Contact Information for Further Support

For any questions or concerns regarding the AMBI SLING CROSSTAC AMBI SLING BLACK, please refer to the contact details provided by your retailer or manufacturer. Always ensure that you have the latest information regarding product safety and usage.

By following these guidelines, you can ensure the safe and effective use of the AMBI SLING CROSSTAC AMBI SLING BLACK. Thank you for your attention to safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)